MISSOURI DEPARTMENT OF CORRECTIONS INSTITUTIONAL SERVICES POLICY AND PROCEDURE MANUAL

| IS | 1 | 1 | - 1 | 4 | 1 |
|----|---|---|-----|---|---|
| | ı | 1 | - 1 | 4 | 1 |

Infection Control Program

Effective Date:

October 22, 2004

Ralf J. Salke

Senior Regional Vice President

Elizabeth Conley, D.O.
Regional Medical Director

Randee Kaiser, Dir

Division of Offender Rehabilitative Services

George A. Lombardi, Director Division of Adult Institutions

- I. Purpose: This procedure has been developed to provide knowledge and supplies that should help the health care provider in maintaining an environment that reduces unnecessary exposure to infectious and communicable diseases for offenders and staff.
 - A. AUTHORITY: 217.175, 217.320 RSMo, National Commission on Correctional Health Care Standards for Health Services in Prisons, 2003.
 - B. APPLICABILITY: All offenders and staff in a correctional center and institutional treatment center under the jurisdiction of the Division of Adult Institution or Division of Offender Rehabilitative Services. Standard Operating Procedure specific to provision of health services procedures at the institution should be developed by the health services administrator in consultation with the medical director, other professional health providers, and the superintendent/designee.
 - C. SCOPE: Nothing in this procedure is intended to give a protected liberty interest to any offender. This procedure is intended to guide staff actions.

II. DEFINITION:

- A. Exposure Control Plan: A document that describes staff actions to be taken to eliminate or minimize exposures to pathogens.
- B. Infectious Disease: A disease caused by an invasion of the body by pathogenic organisms, which subsequently grow and multiply. Some infectious diseases can be classified as contagious diseases or communicable diseases.
- C. Medical Isolation: Housing in a room separate from other offenders with a separate toilet, hand washing facility, soap, and single-service towels and appropriate accommodations for showering.

Effective Date:

Standard Precautions: A combination of the major features of universal precautions (designed D. to reduce the risk of transmission of bloodborne pathogens) and body secretion isolation (designed to reduce the transmission of pathogens from moist body substances), applied to all patients receiving care, regardless of diagnosis or presumed infection status.

III. PROCEDURES:

- Infection control recommendations in the Correctional Medical Services infection control manual A. for surveillance, containment, testing, decontamination, sterilization and proper disposal of sharps and bio-hazardous wastes should be followed.
- B. An exposure control program as outlined in Correctional Medical Services infection control manual should be followed in the event of possible exposure to infectious disease.
 - Each medical unit will develop a written exposure control plan, approved by the medical 1. director/responsible physician to be reviewed and updated annually.
 - 2. Each facility should ensure that:
 - appropriate medical, dental, laboratory equipment and instruments are decontaminated:
 - sharps and biohazardous wastes are disposed of properly;
 - surveillance to detect offenders with serious infectious and communicable disease is effective;
 - immunizations to prevent disease are provided when appropriate;
 - infected patients receive medically indicated care; and
 - if appropriate, offenders with contagious diseases are medically isolated.
- Standard precautions will be used by health care staff to minimize the risk of exposure to blood C. and body fluids of infected patients.
- D. Health staff sanitation workers will be trained in appropriate methods for handling and disposing of biohazardous materials and spills.
- E. Active tuberculosis patients will be housed in designated negative pressure rooms.
- F. The health service staff will ensure that offenders who are released with communicable diseases are provided community referrals.
- G. An infection control committee should be established as a subcommittee to the quality improvement committee of each medical unit.
 - Ι. Written reports by the health service administrator or designee should identify reportable diseases, outbreaks, occurrences of infectious diseases, and problem-solving opportunities.
- H. The health services administrator/designee should complete and file all reports consistently with local, state, and federal laws and regulations.
 - 1. Annual statistics should be maintained by the health service administrator or designee by monthly completion of the Monthly Infection Control Report format (Attachment A).

Effective Date:

October 22, 2004

- a. Disease case reporting to the department of health and senior services should be done using the Disease Case Report (Attachment B).
- I. The health service administrator/director of nursing or designated infection control nurse should monitor employees knowledge of infection control and exposure control annually on a formal basis, and more often if problems are identified.
- J. The medical director and health services administrator should implement the pertinent sections of the Correctional Medical Service infection control manual regarding employee safety.
- K. The Correctional Medical Service regional infection control nurse, regional medical director, superintendent, and division director of offender rehabilitative services should be notified and informed of any outbreaks of disease.

IV. ATTACHMENTS

A.

Monthly Infection Control Report - Format

B. 580-0779

Disease Case Report

V. REFERENCES:

- A. National Commission on Correctional Health Care: Standards for Health Services in Prisons, 2003, P-B-01 Infection Control Program essential.
- B. IS11-14.2 Tuberculosis Control
- C. IS11-14.3 Communicable Disease Isolation
- D. IS11-14.4 HIV Infected Offenders
- E. IS11-14.7 Exposure Control Plan-Bloodborne Pathogens
- F. CMS Infection Control Manual
- VI. HISTORY: This procedure was originally covered by IS11-14.1 Infection Control Program
 Procedure located in the Missouri Department of Corrections Institutional Services Policy and Procedures
 Manual; Original Rule Effective: August 15, 1994

A. Original Effective Date:

August 15, 1994

B. Revised Effective Date:

October 15, 1999

C. Revised Effective Date

| General Control of Con | | | | | | | | | | | | | | |
|--|--|--|--|--|---------------|----------------|---|--------------|--|--|--|--|--|--|
| Generated of directors recovery Placific Courseling 1949 Place of Course Courseling 1949 Place of Course Courseling 1949 Place of Course Courseling 1949 Place of Plac | | | | | | 8.888 | 88 - XXX XX | i line | Silesesse | 30 10000 | osodrooses | 6004500000 | dees harran | e e l 2003 |
| Test number of allower receivery Petited coveraging Tout unprise of CASS employees receiving Test skicketon Tout unprise of CASS employees receiving Test skicketon Test number of CASS employees receiving Test skicketon Test number of CASS employees receiving Test skicketon Test number of Test skicketon books and the CASS of | | Jen i | 3 Feb 0 | 3 Mar-0 | J Apr-0 | 3 Mavu | 13 . 3 | a luir | 1 4 6 | 12 0 | 20 0.0 | | | na Total |
| Idea number of foreces receiving Picket conversity (in Austrea of Marine receiving Picket conversity (in Austrea of Marine receiving Picket conversity (in Austrea of Marine stander pickets conversity in Austrea (in Austrea of Marine stander pickets certain Illiamenton (in Austrea of Marine stander pickets) (in Austrea of Mariner sta | HIV II. III. III. III. III. III. III. II | | 1 2 2 | 1 | 100000 | 7 (27 8) | 30,300,3 | S. 100 410 | | | | | nz : nec | 03 1000 |
| Trial current of CASE ampropose receiving INV ducules Case number of children scales of BASS for Level I Invasivation Case number of children scales of BASS for Level I Invasivation Case number of Case State State Case number of Case State State Case number of Case State State State Case number of Case State St | Total number of offenders receiving Pre-lest counseling | | | | | <u> </u> | | | | | <u> </u> | | | |
| Trial current of CASE ampropose receiving INV ducules Case number of children scales of BASS for Level I Invasivation Case number of children scales of BASS for Level I Invasivation Case number of Case State State Case number of Case State State Case number of Case State State State Case number of Case State St | Total number of affenders receiving Post-lest counseling | | | | | - | | | | | | : 1 | | |
| Titals method of directions sections by 10% of Lond Intervients Table method of the sections of Lond Intervients Table method of the section of Lond Intervients Table method of the Sections of Lond Intervients Table method of Lond Intervien | | | | | | | | | | | | | | |
| Edit Provide of Official Control of Official C | | | | 1 | | | | | | | | | | |
| Float number of histly feather of the common control of the common of th | Table | | | | | | | | | | | | | |
| Total number of more degrees of the comment of more report Total number of more degrees of the comment of more report Total number of more degrees of the comment of more report Total number of more degrees of the comment of more report Total number of the comment of the comment of more report Total number of the comment of t | | i | | | T | | | | 1 | | | | | |
| Float number of revery disagness of NY consens (field in the chimnel of mere apport) Float number of revery disposes of NY centers upon revertinanches and deed Float number of Flore disposes of NY centers upon revertinanches and the second of the secon | | | | | | | | | | | | | | |
| India number of revery segrenced IVI carriers speen non-emeraction that draws | Total number of newly diagnosed HIV carriers upon entrance draws | | | | | | | | | | | | | |
| Teld number of ready dispressed MN ceremon sport and indexes Told number of MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes in MN ceremon s | Total number of newly diagnosed HIV carriers (field to be eliminated in new report) | | 1- | | + | + | | - | | | | | | _ |
| Teld number of ready dispressed MN ceremon sport and indexes Told number of MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes in MN ceremon sport and indexes Teld number of mesodors in MN ceremon sport and indexes in MN ceremon s | Total number of newly diagnosed HIV camers upon non-entrance/non-exit draws | | | ┪┈━━ | - | + | | | | | | | | |
| Tool number of Info center excepted how DOC Tool number of Info center excepted how DOC Tool number of Info center excepted how DOC Tool number of Info center and spicially Tool number of Info center and Spicially Tool number of Info center and Spicially Tool number of Info center of Info center of Info Center of OOC Tool number of Info center of Info Center of OOC Tool number of Info center of Info Center of OOC Tool number of Info center of Info Center of OOC Tool number of Info center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of OOC Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number of Info Center of Info Center of Ooc Tool number | Total number of newly diagnosed HIV carriers upon exil draws | | | + | ┪┈┈ | ┥ | | | | | | | | |
| Total number of File Centers released than DOC 1054 number 145 numbers as the Center of Section 145 numbers 145 numbers as the Center of Section 145 numbers 145 n | Total number of HIV carriers transferred into facility | | | | - | | - | - | | | | | | |
| Gold anchors bill Centrics at all circles Total number of inferences | | | | | ↓ | | | _ | 1 | | | | | |
| Total number of reference service y agreement haveing suit Section ALDS (COMPTION CONTROL OF ALDS celebrated with ALDS referenced from DOC Total number of offended with a stockle CDI count <500 COMPTION CONTROL OF ALDS REPORTED TO ALD ALDS REPORTED TO ALDS ALDS ALDS REPORTED TO ALDS ALDS ALDS ALDS ALDS ALDS ALDS ALDS | | | | | . | : | | | | | | | | |
| Index number of offended with ADS released from DOC Total surabed of ADS offended: Index surabed of ADS offended with absolute CD4 count 500 Index surabed of ADS offended with | Total or grober of offenders newly diagnosed having hill Nown MDS (CD4/200 as a Mile | <u> </u> | | | <u> </u> | | | | | | | 7 | | _ |
| Total number of offenders with ADS referenced Services (Control of the National Control of the Nationa | defining illnesses! | ^D S | 1 | | | 1 | 1 | | | 1 | _ | | | |
| Total number of APLOS defendeds with shootable COF court <500 Total number of officing with shootable COF court <500 Total number of officing with shootable COF court <500 Total number of the Venderson on Information Process Total number of Information of Information Process Total number of Information of Information Process Total number of Information Process Total numbe | | | | .} | ì | ł | 1 | 1 | 1 | Į | ı | ĺ | j | 1 |
| Total runnber of offenders with absolute CD4 codes (200) John survived of INIV- effenders on INIV mede Total runnber of INIV- effenders on Inivity media thereby Total runnber of Inividual Comment Total runnber of Inividual Comment Total runnber of Inividual Statement Total runnber of | | | | Ţ | 1 | 1 | 1 | T | 1 | + | | + | | |
| Table number of offenders with seasons CDA - 2000 Total number of INV- effenders on Initim prices Total number of Involvent hard of Initim Prices Total number of Involvent hard of Initim Prices Total number of Involvent hard of Initim Prices Total number of Initim Prices T | | | | 7 | | —— | 1 | | | + | | | | ┥ |
| Total number of Infive offendes an information Theory Total number of Infive offendes and Information Theory Total number of Infive offendes and Information Theory Total number of Information | | 1 | 1 | 1 | T | 1 | | | | + | | | | |
| Total number of IPVP electric rate or IPV metable heapy Total number of IPVD lests given Total number of reput electrons - Simms Total number of reactions - Simms Total numbe | | T | 1 | 1 | | | | | | + | | | | <u> </u> |
| Total number of IPPO lests given Total number of seachers Armon Total number of seachers are seachers Total number of seachers are seachers Total number of seachers are seachers Total number of seachers on an Armon Total number of seachers on seachers Total number of seachers are seachers Total number of seachers seachers on COC on 19 prosphylasis Total number of seachers seachers on COC on 19 prosphylasis Total number of seachers seachers on COC on 19 prosphylasis Total number of seachers seachers on COC on 19 prosphylasis Total number of seachers seachers on COC on 19 prosphylasis Total number of seachers seachers on COC on 19 prosphylasis Total number of seachers seachers on Total number of seachers deposition on Seachers Total number of seachers deposition of Seachers Total number of seac | | 1 | | T | 1 | | 1 | | | + | | ~ —— | | |
| Total number of IPPO tests given Total number of reactors - Hornes Total number of Phylin offender placed on TB prophylates Total number of Hornes Total n | Total number of HIV+ offenders on interruption Therapy | | 1 | | | | | | | | | | | |
| Total number of IPPO tests given Total number of reactors - Hornes Total number of Phylin offender placed on TB prophylates Total number of Hornes Total n | Total number of HIV+ offenders not on HIV meds/therapy | | | | | | · | | - | | | | | |
| Total number of sections 1-forms Total number of reactions 1-forms Total number of reported fix of PPDs interviewed for presence of symptoms Total number of relateds in 1-forms Total number of related in 1-forms Total number of related in 1-forms Total number of related in 1-forms Total number of relateds on the artification of the related in 1-forms Total number of relateds on the artification of 1-forms Total number of relateds on the artification of 1-forms Total number of relateds on the artification of 1-forms Total number of relateds on the artification of 1-forms Total number of relateds in 1-forms Total number of related in 1-forms on 1-forms Total number of related in 1-forms on 1-forms Total number of related in 1-forms on 1-forms on 1-forms Total number of related in 1-forms Total number of related | FOR CONTRACT CONTRACT OF THE CONTRACT C | S. S. S. | 2 000000000 | 200000000000 | | | date. | | 77222 | | | | | \perp |
| Total runwhor of reactions 5 finance | | 200 (2000) | <u> </u> | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | |
| Total runwhor of reactions 5 finance | | | | | | | | <u> </u> | | | | | | |
| Total runther of reactions 10 Storms Total runther of relations to relations Total runther of relations on relations Total runther of offenders related from Reportaging relations Total runther of offenders related from Report offenders Total runther of offenders related from Report offenders Total runther of one offenders related from Reports Total runther of related plageoused devine related from Reports Total runther of related plageoused from | | | | | ļ | <u> </u> | <u> </u> | | | | 1 | | | |
| Total number of responsed by General Street | | | ļ | ļ | ļ | | <u> </u> | <u> </u> | | i | | | | |
| Total number of reported he of -PPD's interviewed for presence of symptoms Total number of rehursis rehursis number of rehursis rehursis number of rehursis rehursis number of rehursis rehursis of rehursis rehursis number of rehursis rehursis number of rehursis rehursis of rehursis rehursis number of rehursis number of rehursis rehurs | | | | | <u> </u> | | | | | | 1 | 1 | 1 | |
| Total number of rehunds Total number of rehunds Total number of RNV- offendes placed on TB prophylants Total number of RNV- offendes placed on TB prophylants Total number of RNV- offendes placed on TB prophylants Total number of RNV- offendes placed on TB prophylants Total number of RNV- offendes placed on TB prophylants Total number of Indendes on INPI medication INPI medication Total number of Indendes INPI medication INPI medication Total number of Indendes INPI medication INPI medication Total number of Indendes INPI medication INPI medication INPI INPI INPI INPI INPI INPI INPI INP | | | | | | L | L | | | T | | 1 | | · |
| Total number of Inthuses Total number of Inthus Total number of INT- of Interest of Interest of Interest of Interest of Interest of of Interest on Interest on Interest of Interest on Interest on Interest on Interest of Interest on Inter | | | <u> </u> | | | . — | | | | | 1 | -1 | | + |
| Total runnber of HIV- offenders placed on TB prophylaris Total runnber of HIV- offenders placed on TB prophylaris Total runnber of HIV- offenders placed on TB prophylaris Total runnber of placed reactions placed on TB prophylaris Total runnber of offenders on the Interdeaton Total runnber of offenders on the Interdeaton Total runnber of offenders on onli-Abbercular herapy Total runnber of offenders on enh-Abbercular herapy Total runnber of offenders on enh-Abbercular herapy Total runnber of offenders between the Interdeaton on Interdeaton O | | | | | | i — … | 1 | 1 | | | | | + | |
| Total number of HIV- offenders placed on 1B prophylaxis Total number of offenders on NH medication Total number of offenders on other anti-bubercular medications Total number of offenders on the bubercular medications Total number of offenders that completed TB breapy Total number of offenders that completed TB breapy Total number of offenders related from DOC on 1B prophylaxis Total number of offenders related from DOC on 1B prophylaxis Total number of offenders departed violation from tacility Total number of offenders departed with active TB Intell number of newly diagnosed acute Hepatitis R american Total number of newly diagnosed acute Hepatitis R american Total number of newly diagnosed acute Hepatitis C actives Total number of newly diagnosed acute Hepatitis C actives Total number of newly diagnosed acute Hepatitis C actives Courrent number of offenders stated on interferon breapy for Hepatitis C Total number of offenders stated on interferon breapy for Hepatitis C Total number of offenders stated on interferon breapy for Hepatitis C Total number of offenders stated on interferon breapy for Hepatitis C Total number of newly diagnosed department of the properties of | | | | | | | 1 | | | |
| Total number of ordereds an INE mode/ation Total number of offenders on other anti-bibercular medications Total number of offenders on other anti-bibercular medications Total number of offenders on other anti-bibercular medications Total number of offenders in other properties of the properties of t | | | | | | | 1 | · — | | | + | | - | |
| Total number of offenders on other and-fubercular medications Total number of offenders on other and fubercular medications Total number of offenders in the competed TB therapy Total number of offenders released from DOC on TB prophytaxis Total number of offenders placed in Respiratory Isolation from Editly Total number of offenders degraced with active TB Total number of offenders degraced with active TB Total number of newly dagnosed acute Hepatitis A Total number of newly dagnosed acute Hepatitis C acriers Total number of newly dagnosed acute Hepatitis C acriers Total number of newly dagnosed acute Hepatitis C acriers Total number of offenders interior acriers Total number of offenders interior offenders interior offenders interior offenders interior offenders interior offenders interior interior of hepatitis C acriers Total number of offenders interior interior of hepatitis C acriers Total number of newly dagnosed depatition of the past C acriers Total number of newly dagnosed concrine acress Total number of newly dagnosed offenders interior offenders | I alai number of HIV+ offenders placed on T8 prophylaxis | | 1 | | | | | | | - | | + | | |
| Total number of offenders on other anh-batecular medications Total number of offenders on shi-batecular brerapy Total number of offenders released from DCC on TB prophysars Total number of offenders released from DCC on TB prophysars Total number of offenders place flowers of offenders place of the Respiratory Isolation from facility Total number of offenders glossed from DCC on TB prophysars Total number of offenders departed from Respiratory Isolation from facility Total number of offenders departed with active TB Repatition Repat | | 7 | 1 | | | | | | | | | | | |
| Total number of offenders to anal-subercutar Inerapy Total number of offenders to diffenders placed in Replatory Indianation of offenders placed in Replatory Indianation (Indianation) Total number of offenders released from DOC on 18 prophylaxis Total number of offenders released in Respiratory Indianation (Indianation) Total number of offenders released or relumed from Respiratory Isolation from Indianation Indianation of offenders released or relumed from Respiratory Isolation from Indianation Indianation of offenders released or relumed from Respiratory Isolation from Indianation Indianation of relevity diagnosed acute Indianation Indianation of Indianation (Indianation) Indianation (| | | T | | | | · | | | | - | | - | 1 |
| Total number of offenders released from DOC on TB prophysias Total number of offenders pleased from DOC on TB prophysias Total number of offenders pleased in Respiratory totation from facility Total number of offenders pleased or rehumed from Respiratory Isolation from facility Total number of offenders diagnosed scule Nepalitis B Total number of offenders diagnosed scule Nepalitis B Total number of newly diagnosed Nepalitis B Total number of newly diagnosed Nepalitis B Total number of newly diagnosed nepalitis C Total number of newly diagnosed Nepalitis C Total number of newly diagnosed Nepalitis C Total number of offenders street of Interface in Nepalitis C Total number of offenders street of Interface in Nepalitis C Total number of offenders street on Interface in Nepalitis C Total number of offenders street of Interface in Nepalitis C Total number of newly diagnosed Scales cases Total number of newly diagnosed Interface (Nepalitis Cases Total number of newly diagnosed Potecticots (Nepalitis Cases Total number of newly diagnosed Interface (Nepalitis Cases Total number of Newly diagnosed Interface) Exposurers Total number of Newly diagnosed (Nepalitis Cases) Total number of Newly diagnosed (Nepalitis Cases) | Total number of offenders on other anti-fubercular medications | | 1 | | | | <u> </u> | | | | | ļ | | |
| Total number of offenders placed in Respiratory Isolation from facility Total number of offenders placed in Respiratory Isolation from facility Total number of offenders released or rehursed from Respiratory Isolation from facility Total number of offenders released or rehursed from Respiratory Isolation from facility Total number of newly diagnosed acute Hepatitis 8 Total number of newly diagnosed acute Hepatitis 8 Total number of newly diagnosed acute Hepatitis 8 Total number of newly diagnosed Atapatitis 8 caminas Total number of newly diagnosed Hepatitis 8 caminas Total number of newly diagnosed Hepatitis 8 caminas Total number of newly diagnosed Hepatitis 8 caminas Total number of offenders Isolation of Interest New York of Isolation of Isolation Interest of Offenders Isolation Interferon therapy for Hepatitis C Total number of offenders receiving Interferon therapy for Hepatitis C Other Infection is Esperates | Total number of offenders on anti-tubercular therapy | | | | | | | | | | | | | <u> </u> |
| Total number of offenders placed in Respiratory Isolation from facility Total number of offenders placed in Respiratory Isolation from facility Total number of offenders released or rehursed from Respiratory Isolation from facility Total number of offenders released or rehursed from Respiratory Isolation from facility Total number of newly diagnosed acute Hepatitis 8 Total number of newly diagnosed acute Hepatitis 8 Total number of newly diagnosed acute Hepatitis 8 Total number of newly diagnosed Atapatitis 8 caminas Total number of newly diagnosed Hepatitis 8 caminas Total number of newly diagnosed Hepatitis 8 caminas Total number of newly diagnosed Hepatitis 8 caminas Total number of offenders Isolation of Interest New York of Isolation of Isolation Interest of Offenders Isolation Interferon therapy for Hepatitis C Total number of offenders receiving Interferon therapy for Hepatitis C Other Infection is Esperates | Total number of offenders that completed T8 therapy | | | | | | | | | | <u> </u> | <u> </u> | | |
| Total number of offenders placed in Respiratory Isolation from facility Total number of offenders released or returned from Respiratory Isolation from facility Total number of offenders degreed with active TB Hepatitis Total number of newly diagnosed acute Hepatitis B Total number of newly diagnosed acute Hepatitis B Total number of newly diagnosed Repatitis B camies Total number of newly diagnosed Acute Hepatitis C Total number of newly diagnosed Acute Hepatitis C Total number of newly diagnosed Hepatitis C C Total number of offenders in Hepatitis C C Covoric Care Total number of offenders receiving Interferon therapy for Hepatitis C Total number of offenders receiving Interferon therapy for Hepatitis C Total number of offenders receiving Interferon therapy for Hepatitis C Solvent number of newly diagnosed Solvente Cases Total number of newly diagnosed Poticions (Itic) cases Total number of newly diagnosed chieven pox (varicella) cases Total number of newly diagnosed other indecidual cases Total number of newly diagnosed chering (Ital) cases Total number of newly diagnosed chering (Ital) cases Total number of newly diagnosed string is glant varicellal cases Total number of newly diagnosed chering control varicellal cases Total number of newly diagnosed chering control varicellal cases Total number of newly diagnosed string is glant varicellal cases Total number of newly diagnosed chering control varicellal cases Total number of newly diagnosed ch | Total number of offenders released from DOC on TB prophylaxis | | | | | | | | | | <u> </u> | | 1 | Ĺ |
| Total number of offenders released or returned from Respiratory Isolation from facility Total number of offenders diagnosed acute Hepatitis B Total number of newly diagnosed acute Hepatitis B Total number of newly diagnosed acute Hepatitis B Total number of newly diagnosed acute Hepatitis B carriers Total number of newly diagnosed depatitis B carriers Total number of newly diagnosed Hepatitis C carriers Current number of offenders in Hepatitis C C refers Current number of offenders in Hepatitis C C refers Current number of offenders started on Interferon therapy for Hepatitis C C Total number of offenders started on Interferon therapy for Hepatitis C C Total number of offenders started on Interferon therapy for Hepatitis C C Total number of offenders started on Interferon therapy for Hepatitis C C Total number of newly diagnosed States acute Spatial states acute Spatial states C C Total number of newly diagnosed States acute Spatial states States S C C C C C C C C C C C C C C C C C C | Total number of offenders placed in Respiratory Isolation from facility | | | | | | | | | | | <u> </u> | 1 | |
| Total number of newly diagnosed velt Hepatitis 8 Total number of newly diagnosed acute Hepatitis A Total number of newly diagnosed acute Hepatitis B Total number of newly diagnosed acute Hepatitis B Total number of newly diagnosed acute Hepatitis C Total number of offenders in Hepatitis C C thronic Care Total number of offenders stated on Interfect therapy for Hepatitis C Total number of offenders stated on Interfect therapy for Hepatitis C Total number of offenders stated on Interfect therapy for Hepatitis C Total number of newly diagnosed Genorthea cases Total number of newly diagnosed Genorthea cases Total number of newly diagnosed States acute the patient of the patien | Total number of offenders released or returned from Respiratory Isolation from Isolitic | -} | } | | | | | | | | 1 | 1 | | |
| Hepsthis Total number of newly diagnosed scule Hepsthis A Total number of newly diagnosed scule Hepsthis B Total number of newly diagnosed acute Hepsthis B Total number of newly diagnosed Hepsthis B carriers Total number of newly diagnosed Hepsthis C Total number of newly diagnosed Hepsthis C carriers Total number of newly diagnosed Hepsthis C Carriers Total number of offenders in Hepsthis C Carriers Total number of offenders in Hepsthis C Carriers Total number of offenders started on Interferon therapy for Hepsthis C Total number of offenders started on Interferon therapy for Hepsthis C Total number of newly diagnosed Started Concrete Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed stringers (fluir) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of | Total number of offenders diagnosed with active TR | | | | | | | | | | |] | | |
| Total number of newly diagnosed acute Hepatitis B Total number of newly diagnosed acute Hepatitis B Total number of newly diagnosed Hepatitis B carriers Total number of newly diagnosed Hepatitis C Total number of newly diagnosed Hepatitis C Current number of newly diagnosed Hepatitis C Current number of offenders in Hepatitis C Chroric Care Total number of offenders stated on Interferon therapy for Hepatitis C Total number of offenders receiving Interferon therapy for Hepatitis C Total number of offenders receiving Interferon therapy for Hepatitis C Total number of newly diagnosed Sepatitis Cases Total number of newly diagnosed Sepatitis Cases Total number of newly diagnosed States Cases Total number of other newly diagnosed States Cases Total number of newly diagnosed States Cases Total number of newly diagnosed Sepatitis Cases Total number of newly diagnosed Sepatitis (Itil) cases Total number of newly diagnosed filturera (Itil) cases Total number of newly diagnosed filturera (Itil) cases Total number of newly diagnosed chierupa (Itil) cases Total number | Umanthi | 1 | | | | | | | | | 1 | | 1 | |
| Total number of newly diagnosed Acque Hepatitis B Total number of newly diagnosed Hepatitis C carriers Total number of newly diagnosed Acque Hepatitis C Total number of newly diagnosed Acque Hepatitis C Total number of newly diagnosed Acque Hepatitis C Carriers Current number of offenders in Hepatitis C Chronic Care Total number of offenders stated on Interferon therapy for Hepatitis C Total number of offenders stated on Interferon therapy for Hepatitis C Total number of offenders stated on Interferon therapy for Hepatitis C Total number of Intervity diagnosed Syphillic cases Total number of Intervity diagnosed Acquerity of Interferon therapy for Hepatitis C Total number of Intervity diagnosed Statilis Cases Total number of Intervity diagnosed Statilis Cases Total number of Intervity diagnosed Cacquerity (Intervity Cases) Total number of Intervity diagnosed Cacquerity (Intervity Cases) Total number of Intervity diagnosed Cacquerity (Intervity Cases) Total number of Intervity diagnosed Cacquerity (Intervity Cacquerity Cacquerit | Total current of paydy dispressed scula Hannille A | | 00000 | \$100 Degr. | | · *** | | 00000 | XXX.52 | (A) (A) (A) | 7880 | .00000000 | 0.0000 | |
| Total number of newly diagnosed Hepatitis B carriers Total number of newly diagnosed acute Hepatitis C Total number of offenders in Hepatitis C C Carriers Current number of offenders stated on Interferon therapy for Hepatitis C Total number of offenders stated on Interferon therapy for Hepatitis C Total number of effenders receiving Interferon therapy for Hepatitis C Other Interferon therapy for Hepatitis C Other Interferon therapy for Hepatitis C Total number of newly diagnosed Gonorthea cases Total number of newly diagnosed Synthilis cases Total number of newly diagnosed Synthilis cases Total number of other newly diagnosed States cases Total number of newly diagnosed States cases Total number of newly diagnosed States cases Total number of newly diagnosed states (Illu cases) Total number of newly diagnosed states (Illu cases) Total number of newly diagnosed shriples (Illu cases) Total number of laboratory (Isla drawn for DOC exposures) Total number of laboratory (Isla drawn for DOC exposures) Total number of laboratory (Isla drawn for DOC exposures) | | | 1 | | | | | | | | | 1 | 7.5 | 1 |
| Total number of newly diagnosed acute Hepatitis C Total number of newly diagnosed Hepatitis C Chronic Care Total number of offenders in Hepatitis C Chronic Care Total number of offenders stated on Interferon therapy for Hepatitis C Total number of offenders (seceiving Interferon therapy for Hepatitis C Other Infectionis Diseases Total number of newly diagnosed Conorthea cases Total number of newly diagnosed Sonorthea cases Total number of newly diagnosed syphillis cases Total number of newly diagnosed States cases Total number of newly diagnosed States cases Total number of newly diagnosed Scates cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed other infectious diseases Total number of laboratory lests drawn for DOC exposures Total number of laboratory lests drawn for offender exposures Total number of laboratory lests drawn for offender exposures Total number of laboratory lests drawn for ODC exposures | | ļ | <u> </u> | | | | | | | | - | | | |
| Total number of newly diagnosed Hepablis C Carriers Current number of offenders in Hepablis C Chronic Care Total number of offenders started on Interferon therapy for Hepablis C Total number of offenders receiving Interferon therapy for Hepablis C Total number of newly diagnosed Gonorthea cases Total number of newly diagnosed Syphillis cases Total number of newly diagnosed syphillis cases Total number of newly diagnosed chlamydia cases Total number of newly diagnosed chlamydia cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed othicken pox (varicella) cases Total number of newly diagnosed othicken pox (varicella) cases Total number of newly diagnosed othicken pox (varicella) cases Total number of newly diagnosed othicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed shingles (| Total multiple of newly dragnosed nepalities & carriers | | <u> </u> | | | | | | | | | | | |
| Current number of offenders in Hepatitis C Chronic Care Total number of offenders started on Interferon therapy for Hepatitis C Dital number of offenders receiving Interferon therapy for Hepatitis C Dital number of newly diagnosed Chronic Cases Total number of newly diagnosed Gonorrhea cases Total number of newly diagnosed chlamydia cases Total number of newly diagnosed chlamydia cases Total number of newly diagnosed STDs Total number of newly diagnosed Statis cases Total number of newly diagnosed Statis cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed other infectious diseases Total number of newly diagnosed other infectious diseases Total number of newly diagnosed other infectious diseases Total number of laboratory diagnosed chicken for medical staff exposures Total number of laboratory lests drawn for medical staff exposures Total number of laboratory lests drawn for ODC exposures Total number of laboratory lests drawn for ODC exposures | Total number of newly diagnosed acute Hepatias C | <u> </u> | | | | | | | | | | - | | |
| Total number of offenders started on Interferon therapy for Hepabits C Total number of offenders receiving interferon therapy for Hepabits C Others Infection's Exerces Total number of newly diagnosed Gonorthera cases Total number of newly diagnosed syphillis cases Total number of newly diagnosed syphillis cases Total number of newly diagnosed STDs Total number of newly diagnosed Stables cases Total number of newly diagnosed Stables cases Total number of newly diagnosed Stables cases Total number of newly diagnosed scales cases Total number of newly diagnosed strict (iii) cases Total number of newly diagnosed strict (varietila) cases Total number of newly diagnosed strict (varietila) cases Total number of newly diagnosed other newly diagnosed strict (varietila) cases Total number of newly diagnosed other intectious diseases Total number of lactoratory diagnosed other intectious diseases Total number of lactoratory lests drawn for medical staff exposures Total number of laboratory lests drawn for offender exposures Total number of laboratory lests drawn for offender exposures Total number of laboratory lests drawn for ODC exposures Total number of laboratory lests drawn for ODC exposures | Total number of newly diagnosed Hepablis C carners | | | | | | | | | | | | | |
| Total number of offenders receiving interferon therapy for Hepaths C Other Infection's Diseases | | | | | | | | | | | | | | |
| Total number of newly diagnosed Gonorthea cases Total number of newly diagnosed Styphillis cases Total number of newly diagnosed Styphillis cases Total number of newly diagnosed StiDs Total number of newly diagnosed StiDs Total number of newly diagnosed Scabies cases Total number of newly diagnosed Scabies cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed other infectious diseases Total number of lateratory diagnosed other infectious diagnosed other infec | i otal number of offenders started on Interferon therapy for Hepaths C | | | | | | | | | | | | | |
| Total number of newly diagnosed Sphillis cases Total number of newly diagnosed Styphillis cases Total number of newly diagnosed Styphillis cases Total number of newly diagnosed Stoses Total number of newly diagnosed Stoses Total number of newly diagnosed Scabies cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed influenza (flut) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed other infectious diseases Total number of newly diagnosed other infectious diseases Total number of medical staff exposures Total number of newly diagnosed other infectious diseases Total number of infection diagnosed other infectious diagnosed other infectious diagnosed other infectious diagnosed other infectious diagnosed other | | | | | | | | | } | | | | | |
| Total number of newly diagnosed syntilis cases Total number of newly diagnosed STDs Total number of newly diagnosed STDs Total number of newly diagnosed Stabies cases Total number of newly diagnosed Stabies cases Total number of newly diagnosed pedicutosis (lice) cases Total number of newly diagnosed influenza (flui) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed other infectious diseases Total number of leady diagnosed other infectious diseases Total number of latoratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for OEC exposures | | .00000 | 8,888.88 | | | 22222 | 3300000 | | | 300000000000000000000000000000000000000 | 200000000 | 200000000000000000000000000000000000000 | | |
| Total number of newly diagnosed Chlamydia cases Total number of other newly diagnosed STDs Total number of newly diagnosed Scables cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed influenza (flu) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed other infectious diseases Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for Offender exposures | Total number of newly diagnosed Gonorrhea cases | 1 | | 000000000000000000000000000000000000000 | ********* | 20000000 | 000000000000000000000000000000000000000 | 3333334 P | ********** | ******* | | | ***** | |
| Total number of other newly diagnosed STDs Total number of newly diagnosed Scabies cases Total number of newly diagnosed pediculosis (lice) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed other infectious diseases Total number of leafort disposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for OCC exposures | Total number of newly diagnosed syphillis cases | | | | | -∤ | | | | | | | | |
| Total number of newly diagnosed Scables cases Total number of newly diagnosed pedicutosis (lice) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed other infectious diseases Total number of newly diagnosed other infectious diseases Total number of medical staff exposures Total number of ender exposures Total number of reported DOC exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for Offender exposures | Total number of newly diagnosed chlamydia cases | 1 | | | | | | | | | · | | | |
| Total number of newly diagnosed Scables cases Total number of newly diagnosed pedicutosis (lice) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed other infectious diseases Total number of newly diagnosed other infectious diseases Total number of medical staff exposures Total number of ender exposures Total number of reported DOC exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for Offender exposures | Total number of other newly diagnosed STOs | | | | | | | | | | | | <u> </u> | Ì |
| Total number of newly diagnosed pediculosis (files) cases Total number of newly diagnosed influenza (filu) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed other infectious diseases Total number of newly diagnosed other infectious diseases Total number of medical staff exposures Total number of medical staff exposures Total number of eported DOC exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for OEC exposures | | ├ ┈─┤ | | | | | | | | | | | | } |
| Total number of newly diagnosed influenza (flu) cases Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed other infectious diseases Exposures Exposures Total number of medical staff exposures Total number of offender exposures Total number of reported DOC exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for DOC exposures | | } — | | | | | | | | | | | | |
| Total number of newly diagnosed chicken pox (varicella) cases Total number of newly diagnosed shingles (latent varicella) cases Total number of newly diagnosed other infectious diseases Total number of medical staff exposures Total number of infectical staff exposures Total number of reported DOC exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for DOC exposures | | 1 | | | | | | | | | | | <u>-</u> | |
| Total number of newly diagnosed stringles (latent varicella) cases Total number of newly diagnosed other infectious diseases Total number of medical staff exposures Total number of infected staff exposures Total number of reported DOC exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for DOC exposures | | [| | | | | | T | | | | | | |
| Total number of newly diagnosed other infectious diseases Total number of medical staff exposures | Total rymber of newly diagnosed chicates (tall-1) and (1) | <u> </u> | | | | | | | | | | | | |
| Exposures Total number of medical shall exposures Total number of epinder exposures Total number of leboratory tests drawn for medical shall exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for Offender exposures Total number of laboratory tests drawn for DOC exposures | | <u> </u> | | | | | | | | | | | | - |
| Total number of medical staff exposures Total number of exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for DOC exposures | | | | | | | - | | | | | | | |
| Total number of medical staff exposures Total number of exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for DOC exposures Total number of laboratory tests drawn for DOC exposures | Exposures | 100 | of yearing o | क इंग्रह | 48.58.42 | ্ৰি হৈ বি | 38 .00 | ا المرادة | | 00.00724 | انتنمت | 7.3.2 | | |
| Total number of reported DOC exposures Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for DOC exposures | | [| | | | | | | | 223 23 | 5 3 5 | April 1 | | |
| Total number of laboratory tests drawn for medical staff exposures Total number of laboratory tests drawn for offender exposures Total number of laboratory tests drawn for DOC exposures | | | | | + | }- | | -+ | | | | l | | |
| Total number of laboratory lests drawn for offender exposures Total number of laboratory lests drawn for DOC exposures | Total number of reported DOC exposures | | | | | | | | | | | | | |
| Total number of laboratory lests drawn for offender exposures Total number of laboratory lests drawn for DOC exposures | Total number of laboratory tests drawn for medical staff exposures | | | | | | - | | | | | | | |
| Total number of laboratory tests drawn for DOC exposures | Total number of laboratory lesis drawn for offender exposures | } | }- | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | 7 | | | | | | | |
| | | | | | | | | | | | | | | |

ATTACHMENT B PAGE 1

| | MISSOURI D DISEAS | | | | SENA | JK OEK | VIUES | 1 DA | TE OF | REPOR | रा | 2 DATE REC | EVED E | Y LOC | AL HE | ALTH | H AGEN | ICY |
|---|-----------------------------|--|---------------|------------|---------|----------|-----------------------------|-------------------|-----------------|------------------|-------------------------------|--------------------------|------------------|-----------------|---------------|--------------|------------------|-------------|
| V | DISEASI | e case | KEPUI | ΧI | | | | | / | | | | | 1 | | | | |
| 3 NAME (LA | ST, FIRST, MLL) | | | | | | | 4 GE | NDER MLE | | S DATE OF | BIRTH (| 6 AGE | | ispan Yes | | | |
| | | | | | | a perso | NT'S COUNT | | EMALE SECON | <u> </u> | | | | | DATE | VRRIV | jed in Tirkir | |
| D BLACK | | | | ACIFIC ISL | AHDER | | | | | | | | | | | | .J | |
| WHITE | S (STREET OR RFD. | CITY STATE, 2 | | MICYOVAN | | <u> </u> | | 12 C | OUNTY | OFR | ESIDENCE | , | | 13 | TELEP | HONE | NUM | BER |
| | | | | <u> </u> | | | | 1 | | | ELOUTSEDE OF | LECCOLINE OC | 1104 | 47 |) DATE | OF RE | TIEN | |
| 14 PREGNA | WIT YES NUMBER OF WE | :ecs) | 15 PARENT | OR GUAR | DIAN | | | ΩY | TES [] | NO | ELOUISIDE OF | MICOCONS CIT | - CC-1 | " | | / | _/ | |
| 18 OCCUPA | UNKNOWN | | 19 50 | CHOOLOA | CARE | WORKPL | ACE | 1 15 12 | 20, FR | cnc | ADDRESS (S | TREET CAR RE | D, CITY, | STAT | , ZIP | CODE |) | |
| | | | | | | | | | | | | | | | | | | |
| 20 WORK T | ELEPHONE NUMBER | | RASSOCIATI | | CAP C3 | YES L | INO ⊟ NA INO ΠΩΚ | NOWN | I FOC | DBOR | OMPLABITION D | VATERBORNE | | | | | | |
| () | TIENT HOSPITALIZED | | NTRESDE S | AM LAJIBRO | HOME | 25 PATS | EMT DIED OF | THIS AU | MESS | 26 C | ECK BELOW IF | PATIENT OR | P | ATIEN | T | HHL | D MEX | ÆE |
| | IND DUNKNOWN | _ | □мо□ | | | | s □ #0 □ | | | NA. | EMBER OF PATR SUSEHOLD (HH | :N) > | YES | Ю | UNK | YES | Ю | U |
| 27 NAME O | F HOSPITALMURSIN | SHOME | | | | | | | | BAF | OOD HANDLER | | | | | | | |
| | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | ***** | | | | | | | - | | | | | ╀╌ |
| 28 HOSPITA | ALINURSING HOME A | DORESS (STR | EET OR RFD | , CHY, STA | (E, ZP) | · | | | | ORA | NOS OR WORK DLAT DAY CARE | s at a child Center | | | | | | |
| 29 REPORT | TER NAME | | | | 36 | TELEPH | ONE HUMBE | : | | 45.41 | EALTH CARE W | MOVED | | | | | | - |
| | | | | | t |) | | ··· | | | | | | | | | <u> </u> | L |
| 31 REPOR | TER ADDRESS (STRE | ET OR RFD. C | ny, state, z | IP CODE) | | | E P | PE OF RE | | ETVSUE JUTPAT | METTER SENT CLISIC [| DENSITIES HEN | ETH CL | JANC | | | | |
| 31 AT TEND | ING PHYSICIAN/CLIN | C NAME | | | | ADDRE | SS (STREET | SPITAL OR RFD, | | | | JOLIKAL | | 4 TEL | PHON | E NU | MBER | |
| 55 (1) 12-10 | | | | | | | | | | | | | (| 1 | | | | |
| 35 DISEAS | E NAME(S) | | 36 ONSET | DATE(S) | 37 | DIAGNO | SIS DATE(S) | THE DIST | ease s actor | | 39 PREVIOUS | DISEASE/ST/ | VGE 4 | D PRIEN | ncus: | DISEA | SE LIA | IE(S |
| | | | | / | - - | / | | | | | ļ | | . | | ′- | | · | ٠. |
| | | • | /_ | | - - | / | / | | | | <u> </u> | | | | /_ | | <u>'</u> | |
| TEST DATE | TYPE OF TES | 1 () a | PECIMENTY | re agr | LETTER) | 9 | GENETATIVE United in Res | i TS | PAIK | 1 | ÓMCLU | LABORATO DE STREET OF | RY NAM RFD, C | EADD ITY, SI | ÁESS 70E.Z | P CO | OF), | |
| (HOKNAYIY) FO | 245 2 304 30 <u>2 42</u> 73 | 2.2.2 | e sales e e e | | | | | | | | | | | | | | | |
| | | | | | | _ | | $\neg \vdash$ | | | | | | | | | | |
| | | | | | | - | | | | | | | | | | | | |
| | | | | | | _ | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| <u></u> - | | | | | | - | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| TREATED | REASON NOT | TYPE OF TR | West . | 1049 | DRUG | 6 | DOSASE | | | | THEATREST DUR. | | ÚS TRE | ATUE | rit F | REVIO | | |
| YAWUNIO | TREATED ? | A PERSON | EAST OF | | urder. | 330FJ | -3 TRUE | 19. (Date | NUMAN. | 191 | (Mituris) | | | 4/_ ? | + | (CB) | | AIE |
| | | | | | | | ···· | ļ | | | | | | | + | | | |
| | | | | | , | | | <u> </u> | | | | | | | _ | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | - | | | |
| | SYMPTOM OF AP | di Ameri | (1) | | | EPION S | TE (F APPL | ABLE | | 7 T | | ONGET DATE | | 8Y | PTON | DUR/ AY8) | ATION | · . |
| 80 (E) | STATE OF THE PARTY OF | | | - Table | 1986-E | 2 Judish | | 14 + F. J. | 8 .45 | 7 X 7 * (. | | MOYR) | _ | | face r | , a a j | 15. | <u> </u> |
| | | | | | | | · | | | | | | | | | | | |
| | | | | | | | · | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| *************************************** | · <u>·</u> | | | | | | | | | | | | | _ | | | | |
| í | HTS | | | 1 | | | | | | ل | <u> </u> | | | | | | | |
| 44 COMME | | | | | | | | | | | | | | | | | | |
| 44 COMME | | | | | | | | | | | | | | | | | | |
| 44 COMME | | | | | | | | | | | | | | | | | | |

NOTES FOR ALL RELEVANT SECTIONS:

- · Stages, risk factors, diagnostics, treatments, and symptoms shown below are examples. To see a more complete listing, please go to http://www.dhss.state.mo.us/Diseases/DDwelcome.htm. You may also contact the Office of Surveillance at 1-800-392-0272 for additional information or to report a case.
- All dates should be in Mo/Day/Year (01/01/2001) format.
- All complete addresses should include city, state and zip code.
- Required fields referenced below are italicized and bold, however fill form as complete as possible.
- (1) Date of Report date sent by submitter of document.
- (2) Date received will be filled in by receiving agency.
- (3-8) CASE DEMOGRAPHICS/IDENTIFIERS: Last name, First Name, Gender, Date of Birth, Hispanic, Race please check all that apply
- (23) Was patient hospitalized due to this illness?
- (32) Type of reporter/submitter (doctor, nursing home, hospital, laboratory) (33-34) Attending physician or clinic (full physician name and degree, address, phone)

DISEASE: (35) Disease name or name(s), (36) Onset date(s), (37) Diagnosis Date(s)

(38) Disease Stage or Risk Factor

Syphilis

Primary (chancre present) Secondary (skin lesions, rash) Early Latent (asymptomatic < 1 year)

Late Latent (over 1 year duration)

Neurosyphilis Cardiovascular-Congenital Other

Gonorrhea or Chiamydia

Asymptomatic Uncomplicated urogenital (urethritis,

cervicitis) Salpingitis (PID)

Ophthalmia/conjunctivitis Other (arthritis, skin lesions, etc) TB Infection

Contact to TB case Immunocompromised Abnormal CXR Foreigner/Immigrant IV Drug/Alcohol Abuse Resident, correctional Employee, correctional

Over 70 Homeless Diabetes Healthcare worker Converter/2 vrs ≥ 10

Converter/2 vrs ≥ 15

(39) Previous Disease/Stage (if applicable) (40) Previous Disease Dates (if applicable)

(41) Diagnostics (Please Attach Lab Slip)

Test Type Hepatitis

Iam Anti-HBc Anti-HBs

Anti-HBc Total Iam Anti-HAV **HBsAg**

TB

Not Done Mantoux

Multiple puncture device

X-Ray Smear Culture Other

Elisa Western Blot Culture ALT AST

Specimen Type (blood, urine, CSF, smear, swab), Collection Date (Mo/Day/Yr), Qualitative (negative, positive, reactive), Quantitative Results (1:1, 2.0 mm reading,) Reference Range (1:1neg, 1:64 equivocal, 1:128 positive, > 2 positive),

(42) TREATMENT

Hep C

Reason not treated

Laboratory (name, address)

False positive Previous treated Age

Drug

TB Isoniazid

Rifampin

Ethambutol Pyrazinamide

(43) SYMPTOMS:

Symptom (jaundice, fever, dark urine, headache) Symptom Site (head, liver, lungs, skin), Symptom Onset Date (Mo/Day/Yr) and Symptom Duration (in days)

(44) Comments: Attach additional sheets if more comments needed.

MO 580-0779 (9-01)

| | NAL SERVICES OCEDURE MANUAI | |
|--|--------------------------------|------------------|
| IS11-15.1 Disposal of Biohazardous Waste | Effective Date: | January 23, 2006 |
| RY4Slke | Jalu | Conley Ild |

Ralf Salke Vice President of Operations

(Elizabeth Conley, D.O. Regional Medical Director

| Im | 4 | moore |
|-----------|---|------------|
| Terry Mod | ģ | , Director |

Division of Adult Institutions

Randee Kaiser, Director

Division of Offender Rehabilitative

Services

- I. Purpose: This procedure has been developed to ensure that all clinics, infirmaries/transitional care units/ institutions dispose of infectious waste in a proper manner compliant with Missouri Department of Health and Missouri Department of Natural Resource's regulations. The proper disposal of infectious waste protects offenders, staff, and the community from exposure to potentially hazardous disease.
 - AUTHORITY: 217.175, 217.320 RSMo, National Commission on Correctional Health Care A. Standards for Health Services in Prisons, 2003.
 - B. APPLICABILITY: All offenders and staff in a correctional center and institutional treatment center under the jurisdiction of the Division of Adult Institution or Division of Offender Rehabilitative Services. Standard Operating Procedure specific to provision of health services procedures at the institution should be developed by the health services administrator in consultation with the medical director, other professional health providers, and the superintendent/designee.
 - C. SCOPE: Nothing in this procedure is intended to give a protected liberty interest to any offender. This procedure is intended to guide staff actions.

II. **DEFINITION:**

- A. Biohazardous Container: An approved puncture resistant and leak-proof container labeled with a biohazard symbol or color-coded red.
- B. Biohazardous Waste: Biohazardous waste is also referred to as regulated, infective, infectious, and medical waste. OSHA defines biohazardous waste as:
 - 1. any liquid or semi-liquid blood or other potentially infectious materials;
 - contaminated items that would release blood or other potentially infectious materials in 2. a liquid or semi-liquid state if compressed:
 - 3. items that are caked with dried blood or other potentially infectious materials and are capable of releasing these materials during handling;

Effective Date:

January 23, 2006

- 4. sharps (includes needles, scalpel blades, glass, pipettes) contaminated with blood and/or body fluids: and
- 5. pathological and microbiological wastes containing blood or other potentially infection materials.

III. PROCEDURES:

- A. The health services administrator at each institution shall be responsible for ensuring the isolation and identification of biohazardous/regulated waste from all other health services waste at the point of generation.
 - 1. Caution will be taken to preclude any staff or offender theft, abuse, and contact with such products.
 - 2. All infectious waste containers shall be identified with the Universal Biological Hazard Symbol (Attachment A).
 - 3. The health services administrator shall be responsible for ensuring an adequate supply of the biological hazard symbols is readily available at all times.
- B. All infectious waste shall be placed in approved containers.
 - 1. Patient care areas will have red plastic-lined receptacles available for disposal of contaminated dressings and other items.
 - 2. Receptacles for contaminated items preferably have a foot-operated lid will be emptied by the clinic staff nurse as needed and daily.
 - a. Used red plastic liners will be closed prior to removal and will be placed in a second red plastic liner if necessary to prevent spillage or protrusion of contents during handling, storage, and transport.
 - b. Biohazardous waste items will be placed in the container supplied by the biohazardous waste removal contractor.
 - 1. This container will be closable, leak proof, and labeled.
- C. All sharps shall be placed in approved containers.
 - Used sharps and other miscellaneous items, which have the potential to puncture plastic bags and cardboard boxes, will be placed in red puncture-resistant rigid containers at the point of use.
 - Sharps containers will be secured in a manner; such as attachment to the wall, to
 prevent tampering with and possible injury of offenders and to maintain upright
 position.
 - 3. Sharps containers will not be filled more than 2/3 full to prevent injury.
 - 4. Used sharps containers will be closed and sealed immediately prior to handling by any staff member and placed in the container supplied by the biohazardous waste removal contractor (a rigid box with leak-proof liner and biohazardous labeling).

- 5. Used sharps containers will be placed in a secondary closable, leak proof, labeled container if leakage is possible during handling.
- D. Storage of biohazardous waste containers shall be as follows until the contractor can remove the containers from the institution.
 - 1. The storage area for biohazardous waste awaiting pick-up must be a secured area with limited access. Remember, this is waste do not store in clean areas, i.e., pharmacy, clean storage area, etc.
 - 2. The room must be designated and marked as containing biohazardous material.
 - 3. Biohazardous waste awaiting removal from the facility must be stored in red plastic bags inside a rigid, sealed, labeled container supplied by the contract vendor.
 - 4. Boxes should not be stored directly on the floor.
- E. Biohazardous waste must be removed from the facility on a regular basis. Removal should be scheduled at least weekly if stored biohazardous waste consists of more than sharps.
- F. Manifests from the contracted company that removes biohazardous waste must be maintained.
 - 1. The health services administrator will maintain copies of the manifest.
 - 2. The manifest must state when and what was removed, the location and date of disposal.
 - 3. The site receives the bottom copy when the waste is taken out of the facility.
 - 4. The health services administrator will obtain a confirmation from the contracted vendor that states when and where the waste occurred for disposal of the biohazardous waste.
 - The health service administrator will obtain a copy of the confirmation through an accessed internet service.
- G. The contracted company that removes biohazardous waste should provide a copy of the permit to do business, name of disposal site, and certificate of insurance.
- H. Offender workers are not allowed to dispose of biohazardous containers or biohazardous waste.

IV. ATTACHMENTS

A. Universal Biohazardous Symbol

V. REFERENCES:

A. National Commission on Correctional Health Care: Standards for Health Services in Prisons,
 2003, P-B-02 Environmental Health and Safety - essential, P-B-01 Infection Control - essential.
 APIC (Association for Professional in Infection Control and Epidemiology, INC) Text of
 Infection Control and Epidemiology, Volume 2, ENVIRONMENTAL SERVICES, 73-5, 73-6.

Effective Date:

January 23, 2006

VI. HISTORY: Not previously covered by division rules. This procedure number was previously IS11-3.6 Disposal of Infectious and Innocuous Waste until February 1, 1995, and revised as procedure number IS11-15.2, Disposal of Infectious and Innocuous Waste the revised October 15, 1999 as IS11-15.1, Disposal of Regulated Waste located in the Missouri Department of Corrections Institutional Services Policy and Procedures Manual.

A. Original Effective Date: March 1, 1992

B. Revised Effective Date: February 1, 1995

C. Revised Effective Date: November 4, 1998

D. Revised Effective Date: October 15, 1999

E. Revised Effective Date: January 23, 2006

A CAUTON

BIOLOGICALIBRATICA AUTOMACCIONIA CERCINELOGICA



MISSOURI DEPARTMENT OF CORRECTIONS INSTITUTIONAL SERVICES POLICY AND PROCEDURE MANUAL

IS11-14.6

HIV Testing for Offenders

Effective Date: January 23, 2006

Ralf J. Salke

Vice President of Operations

Elizabeth Conley, D.O.

Regional Medical Director

Terry Moore Director

Division of Adult Institutions

Randee Kaiser, Director

Division of Offender Rehabilitative

Services

- I. Purpose: This procedure has been developed to ensure testing guidelines for all offenders within a correctional center or institutional treatment center to meet their medical needs regarding HIV/AIDS.
 - A. AUTHORITY: 217.175, 217.320, 191.659 RSMo, NCCHC Standards for Health Services in Prisons, 2003.
 - B. APPLICABILITY: All offenders and staff in a correctional center and institutional treatment center under the jurisdiction of the Division of Adult Institution or Division of Offender Rehabilitative Services. Standard Operating Procedure specific to provision of health services procedures at the institution should be developed by the health services administrator in consultation with the medical director, other professional health providers, and the superintendent/designee.
 - C. SCOPE: Nothing in this procedure is intended to give a protected liberty interest to any offender. This procedure is intended to guide staff actions.

II. DEFINITION:

- A. AIDS: Acquired Immune Deficiency Syndrome (AIDS): A medical condition caused by the Human Immunodeficiency Virus (HIV) which results in the destruction of the body's natural defenses against disease and is characterized by certain medical conditions as defined by the Center for Disease Control and Prevention (CDC) and American Medical Association (AMA).
- B. Body Fluids: Any fluid or substance produced within the human body.
 - 1. Blood and body fluids requiring standard precautions are:
 - a. blood (including menstrual blood),
 - b. seminal fluid, vaginal secretions,
 - c. amniotic (pregnancy) fluid,
 - d. cerebrospinal (brain and backbone) fluid,
 - e. synovial (joint) fluid,
 - f. pleural (chest) fluid, and

Effective Date: ****

January 23, 2006

- g. saliva in the dental setting (due to the bloody nature of such).
- Most body fluids are locked inside the joints and body cavities and when they are released due to injury, they will usually be mixed with blood.
- 2. Body fluids not requiring standard precautions unless visible blood is present include feces, nasal secretions, saliva, sputum, sweat, tears, urine, and vomit.
- C. ELISA (Enzyme-Linked Immunosorbent Agent): The initial laboratory test procedure used to detect HIV antibodies in the blood: results are either positive or negative.
- D. Equivocal Test Result: Western blot test results that are neither positive nor negative, thus requiring re-testing as there exists a high possibility of positive HIV.
- E. **HIV Positive:** Infection with the human immunodeficiency virus.
- F. **HIV Related Illness:** Infection with HIV and some, but not all, of the symptoms of AIDS. Infections and symptoms may be successfully treated, but damage to the immune system is permanent.
- G. Inconclusive Test Result: The initial ELISA test is positive and the confirmatory Western Blot test is negative. Follow-up testing is indicated in these cases.
- H. Medical Accountability Record System (MARS): The electronic medical record system utilized by the Missouri Department of Corrections.
- I. Standard Precautions: A combination of the major features (use of protective barriers such as gloves, gowns, aprons, masks, or protective eyewear to reduce risk of exposure of skin or mucous membranes) of universal precautions (designed to reduce the risk of transmission of bloodborne pathogens) and body secretion isolation (designed to reduce the transmission of pathogens from moist body substances), applied to all patients receiving care, regardless of diagnosis or presumed infection status.

J. Testing:

- 1. Voluntary Testing: Testing requested by the offender, no more than one time per уеаг.
- 2. Mandatory Testing: The requirement to submit to an HIV test either willingly or by use of force, as directed by statute or court order.
- 3. High Risk Exposure: An incident involving exposure to blood, semen, or body fluids to which standard precautions apply through another's eye, mouth, laceration, or non-intact skin. A needle stick puncture or incision if it occurs with instruments that are soiled with an above noted fluid.
- 4. High Risk Behavior: An incident of behavior, which suggests the possibility of exposure to infection to include but not, limited to:
 - sexual contact that involves the exchanges of body fluids to which standard a. precautions apply:
 - b. injection drug use:
 - possession of needles or syringes; ¢.
 - d. tattooing and piercing of a body part; and,

Effective Date:

January 23, 2006 ******

> e. involvement in an incident where one's blood is exposed to another person.

- The person exposed may be staff or offender.
- 5. Symptomatic Testing: Testing for HIV based on display of medical signs. indications, or symptoms of HIV related illness or AIDS.
- 6. Western Blot: Laboratory confirmation blood test procedure with results positive. negative or equivocal.

III. PROCEDURES:

A. Confidentiality

- 1. Departmental health care staff, and others as established in this procedure, will be provided with information relating to the HIV sero status of offenders.
- 2. Information will not be shared unless the offender has provided express written consent on their specific HIV serum result status.
- The consent shall specifically authorize release of HIV test results and to whom the test 3. results will be released.
- 4. The test results will not be released with a routine release of medical records.
- 5. Employees who breach confidentiality shall be subject to discipline.

B. Standard Precautions

- l. All persons must be considered to be potentially infected as the virus may be dormant in individuals tested and not appear when the HIV antibody test is performed.
- 2. Body fluids to which standard precautions apply should be handled with protective equipment.

C. General Testing Procedures

- 1. In all cases where testing is performed, health care staff shall document the reason the test is being conducted and the date of the test on the inside of the offender's medical record.
- 2. Offenders refusing entry or exit mandatory testing will be immediately placed in temporary administrative segregation confinement in accordance with IS21-1.1 Temporary Administrative Segregation Confinement.
 - The health service administrator/designee will submit a memorandum to the superintendent stating the offender refused the required HIV testing.
 - The superintendent/designee will assign appropriate staff to write a conduct violation for disobeying an order.

Effective Date:

January 23, 2006 ********

- c. After 24 hours of segregation (or less if testing is needed for exit HIV), force may be used while medical staff obtain the test in accordance with IS20-3; Use of Force Guidelines and IS21-1.1 Temporary Administrative Segregation Confinement.
- 3. Health care staff shall be responsible for conducting all HIV testing and necessary blood sampling procedures and will document the results on the HIV Antibody Test Form (Attachment A) and or within the medical accountability record system.
- Should medical staff be unable to obtain a mandatory test specimen, the offender will be 4. transported to a local hospital in accordance with IS11-30 Hospital and Specialized Ambulatory Care.
 - A lab transport approved container will be used for transportation of the blood specimen back to the health care unit.

D. Types of Tests

Ι. **Entry Testing**

All newly committed offenders and offenders returned for incarceration, except those known to be HIV seropositive from prior commitment, or those reporting to a diagnostic center with positive test results documented and obtained subsequent to trial and prior to incarceration, shall be required to submit to HIV testing performed at the receiving diagnostic center.

2. High Risk Testing

- Any staff witness to a high-risk exposure incident will report the incident to the superintendent/designee in writing.
 - 1. The superintendent will notify the health services administrator/designee.
 - The health services administrator/designee shall determine the need for testing.
 - A copy of the report will be placed in the offender's medical record.
 - 4. The superintendent/designee will copy the violation report to the health services administrator/designee who shall determine the need for testing.
 - 5. A copy of the violation will be placed in the health care office, infection control HIV risk testing file.
- HIV tests drawn for high-risk blood or body fluid exposures:
 - 1. Blood shall be drawn by a nurse within 24 hours of reported exposure;
 - The lab requisition will be identified as "Exposure Testing Run ASAP";
 - 3. A telephone call will be made by the sending nurse as designated by the physician/designee to the lab notifying the lab that the specimen is being sent due to an exposure.
 - a. The lab may be either FRDC, a local hospital or contract provider lab.

Effective Date: January 23, 2006

- 4. The specimen should be sent to FRDC.
 - a. If the exposure and resulting lab test occurs on a Monday and the regular courier does not make routine transport until a Thursday then special arrangements MUST BE made to deliver the specimen.
- c. The offender or staff member exposed to high-risk blood or body fluids should be started on post exposure prophylaxix (PEP) medications as determined by the treating physician, pending results of the HIV status report.
- d. When a state employee exposure occurs by an offender, the offender may receive rapid testing at a local hospital if the offender had not previously proven to be HIV positive and a true high-risk exposure occurred.

3. Scheduling

- a. Upon determination of need, the health services administrator/designee shall schedule testing.
- b. Medical staff shall document in the medical accountability record system the date and time the test was drawn.
- 4. High Risk Behavior and High Risk Exposure
 - a. Upon determining the need for testing following high risk behavior or exposure, the offender(s) involved in the behavior or incident will be tested at intervals recommended by the Centers for Disease Control and Prevention (CDC).
 - b. When an HIV positive offender exhibits high-risk behavior, the health services administrator/designee will refer name and required identifying information to the department of health for possible intervention.

5. Voluntary Testing

- a. An offender may submit a written request for voluntary testing to the medical unit by completing a Medical Services Request Form (Attachment F).
- b. Voluntary testing will be performed no more than one time per year.
- c. Evaluation of voluntary requests will be made by the infection control nurse during offender counseling.
- d. Determination of need for testing and follow-up will be made in consultation with the physician.

6. Exit Testing

- a. Exit testing will be conducted no sooner than 120 days prior to release.
- b. The records officer will notify the medical unit of offenders being released as soon as she/he is notified.

- c. Upon notification of the offender's release date, the health services administrator/designee should schedule testing within 3 working days.
- d. Where positive test results are discovered, the health services administrator/designee shall notify in writing the institutional parole office supervisor/designee, who shall in turn notify the probation and parole supervisor where the home plan exists.
 - 1. Upon notification that an offender is HIV positive, the supervising probation and parole officer will have the offender sign the Medical Information Release Authorization Form (Attachment C).
 - a. The release of information will be forwarded to the district office where the offender's home plan exists.
 - 2. When the offender is released prior to the receipt of test results, and she/he has not received post-test counseling, medical staff will make a referral to the Bureau of HIV/STD Prevention by way of written or telephone communication.
 - a. Referral to the Bureau of HIV/STD Prevention referral notification will be documented by the infection control nurse/designee in the offender medical accountability record system.

E. Test Results

- 1. All HIV tests will be submitted to the health services unit lab at Fulton Reception and Diagnostic Center.
 - a. Negative Test Results
 - The Fulton Reception and Diagnostic Center lab clerk will send a notification letter and test results to the health services administrator/designee.
 - The health services administrator/designee will call the offender to the
 medical unit and notify the offender verbally of the test results, answer any
 questions the offender may have, counsel the offender and ensure that the
 offender understands the test result.
 - 3. The health services administrator/designee will have the offender date and sign the letter of notification and the health services administrator/designee will co-sign the letter.
 - 4. If the offender refuses to sign the letter, the health services administrator/designee and a witness will sign the letter indicating the offender's refusal.
 - 5. The letter will be filed by the medical staff records clerk in the offender's medical record under the diagnostic test section.

2. Inconclusive Test Results

a. The Fulton Reception and Diagnostic Center lab clerk will send the test results and notification letter to the health services administrator/designee.

- b. The health services administrator/designee will call the offender to the medical unit and notify the offender verbally of the test results, answer any questions the offender may have, counsel the offender, and ensure that the offender understands the test result.
- c. The health services administrator/designee will have the offender date and sign the letter of notification and the health services administrator/designee will cosign the letter.
- d. If the offender refuses to sign the letter, the health services administrator/designee and another health staff member or custody staff as witness will sign the letter indicating the offender's refusal.
- e. The letter will be filed in the offender's medical record under the diagnostic test section.
- f. The test will be repeated in 30 days.
 - 1. If negative at 30 days then further scheduled testing will not be needed.
 - 2. If other than negative, follow appropriate test result guidelines.

3. Equivocal Test Results

- a. The Fulton Reception and Diagnostic Center lab clerk will send the notification letter and test results to the health services administrator/designee.
- b. The health services administrator/designee will call the offender to the medical unit and notify the offender verbally of the test results, answer any questions the offender may have, counsel the offender, and ensure that the offender understands the test result.
- c. The health services administrator/designee will have the offender date and sign the letter of notification and the health services administrator/designee will cosign the letter.
- d. If the offender refuses to sign the letter, the health services administrator/designee and a witness will sign the letter indicating the offender's refusal.
- e. The letter will be filed in the offender's medical record under the diagnostic test section.
- f. The test will be repeated in 30 days and:
 - 1. if negative at 30 days it will be repeated;
 - 2. if remains equivocal after first 30 days, repeat at 60 days, then every 6 months until a negative or positive test is obtained;

3. and if it is positive at 30 days, no repeat testing is necessary.

4. Positive Test Results

- a. The health services administrator/designee will notify the department of health via telephone followed by sending the completed Physician's Confidential Report of HIV Infection form (Attachment B).
- b. The Fulton Reception and Diagnostic Center lab clerk will send a notification letter and test results to the health services administrator/designee.
- c. The health services administrator/designee will call the offender to the medical unit and notify the offender verbally of the test results, answer any questions the offender may have, counsel the offender and ensure that the offender understands the test result.
- d. The health services administrator/designee will have the offender date and sign the letter of notification and the health services administrator/designee will cosign the letter.
- e. If the offender refuses to sign the letter, the health services administrator/designee and a witness will sign the letter indicating the offender's refusal.
- f. The letter will be filed in the offender's medical record under the diagnostic test section.
- g. The health services administrator/designee will notify the assistant division director of offender rehabilitative services of the positive result of any offender convicted of a sexual offense or the offense of infecting another with the potential for HIV infection.
- h. The assistant division director of offender rehabilitative services will contact the victims services coordinator/designee to obtain information regarding the names, addresses and telephone number of victims.
- i. The assistant division director of offender rehabilitative services will provide this information to the department of health so they can notify the victim.
- j. All offenders who test positive shall be offered or referred to the mental health professional for counseling.
 - 1. This will be documented in the medical file.
- k. All offenders will be enrolled in the appropriate chronic care clinic.
- 5. Copies of HIV test results will not be provided to offenders while they are incarcerated.
 - a. Copies of HIV results may be sent outside of the institution if so requested and with a signed release of information by the offender in compliance with release of confidential medical information and medical record copying as outlined in IS11-61, Confidentiality of Health Records and Health Information.

January 23, 2006 **Effective Date:**

- A copy may be given to the offender on the day of release from the department.
- 6. All results should be posted in the MARS - Medical Accountability Record System (computerized medical record).
- 7. All lab testing will be conducted by a certified lab technician with oversight by the lab pathologist.
- 8. Positive, equivocal, or inconclusive HIV test results should be entered by the lab technician or licensed health care professional.
- 9. The Correctional Medical Services Referral To Positive Start Transitional Case Management form (Attachment K) will be completed by the health services administrator/designee on offenders testing positive for HIV.
 - a. The form will be completed at the offender's assigned facility and each concurrent facility reassignment of the offender.
 - b. The form will be faxed to the Department of Health and Senior Services as stated on the form.

F. AIDS Reporting

1. When the offender's condition meets criteria for "AIDS" diagnosis determined by the Centers for Disease Control (CDC), an Adult HIV/AIDS Confidential Case Report. (Attachment L) should be completed and sent to the department of health and bureau of HIV/STD prevention.

IV. **ATTACHMENTS**

| A. | 931-3345 | HIV Antibody Test (DOC) |
|----|-----------|--|
| B. | 931-1319 | Medical Services Request |
| C. | 931-3553 | Medical Information Release Authorization |
| D. | 931-3761 | Negative HIV Test Results |
| E. | 931-4212 | Inconclusive HIV Test Results |
| F. | 931-4213 | Equivocal HIV Test Results |
| G. | 580-1641 | Physician's Confidential Report of HIV Infection |
| H. | 931-4033 | HIV/AIDS Summary Treatment Record |
| I. | 931-4180 | HIV Infection Status Notification |
| J. | 931-4211 | Positive HIV Test Results |
| K. | | Correctional Medical Services Referral To Positive Start Transitional Case |
| | | Management |
| L. | CDC50.42A | Adult HIV/AIDS Confidential Case Report |

V. REFERENCES:

- Α. National Commission on Correctional Health Care: Standards for Health Services in Prisons, 2003, P-B-01 Infection Control Program - essential, P-H-02 Confidentiality of Health Record Information - essential.
- В. IS11-14.4 HIV Infected Offenders
- C. IS11-61Confidentiality of Health Records and Health Information
- D. IS20-3 Use of Force
- IS21-1.1 Temporary Administrative Segregation Confinement E.

IS11-14.6

HIV Testing for Offenders

Page 10 of 10

Effective Date:

January 23, 2006

VI. HISTORY: This policy was originally covered by D5-5.2 HIV/AIDS; Original Rule Effective: September 15, 1993.

A. Original Effective Date:

October 15, 1999


B. Revised Effective Date:

January 23, 2006

| PATIEN | T ID NUMBER | | | DATE DRAWN | | ATTACHMENT A | ELOW FOR | 314555 | |
|------------------------------|-------------|----------------|--------------|----------------------|---|------------------|-------------|-------------|---------------------------|
| 7 | ST) | | | | | LAB SERIAL A | UMBER | R LABORA | ATORY US |
| r | 21) | | | FIRST | | | | | |
| J. | Tion | DATE OF BIRTH | RACE | | | TEST PERFOI | MED N | E | R |
| | | | INACE | SEX | TEST CODE | ELISA | | | |
| Dhara | 9Y | | | | L | Risk: | | | |
| Marital | Status: | Maria d Do | · | | | Homo, | Risevual | п., | |
| REMARKS | Status. L | ☐ Married ☐ S | Single 🗌 Div | vorced U Widow | ☐ Separated | ☐ Blood | Recipient | H 1 | V Drug Use lemophiliad |
| | | • | | | | ☐ Hetero | | □P | erinatal |
| | | | | • | | ☐ Prostit | | □ T: | attoo |
| | | | | | | | e Partners | | nknown |
| | | | | | | ☐ Sex Pa | rtners of P | erson at F | lisk |
| | | | | | | Exposu | re inciden | t | |
| 7E I UH 0 931-334 | N HESULT | S TO THE OFFIC | CE OF H.E.C. | DEPARTMENT OF | CORRECTIONS | Other (| specify) _ | | |
| | 3 (4-33) | | DISTRIBUTION | : WHITE - DEPARTMEN | T OF CORRECTIONS; | CANARY - LAS | | | ······ |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| IV AN | TIBODY | TEST (DOC) | | | | | | | |
| ATIENT IC | NUMBER | | , | DATE DRAWN | | SPACE DEL | 04/500/ | 10001 | |
| AME (LAS | T1 | | | | | SPACE BEL | BER | ABOHAT | ORY USE |
| jurio | • • | | | FIRST | | · | | | |
| STITUTIO | N | DATE OF BIRTH | RACE | SEX | | TEST PERFORM | D N | E | R |
| . | | | | SEX | TEST CODE | ELISA | | | |
| ·-·. | | | | | - · · · · · · · · · · · · · · · · · · · | Risk: | | <u> </u> | |
| | tatus: | Married Sin | . 6 | | | Homo/B | sevual | □ wr | Orug User |
| _ = == :N. | ratus. LJ | Married LI Sin | igle 🗌 Divo | rced U Widow [| Separated | ☐ Blood Re | cipient | | nophiliac |
| | | | | | | ☐ Heterose | xual | | inatal |
| | | | | | | Prostitut | | ☐ Tatt | |
| | | | | | | ☐ Multiple | Partners | ☐ Unk | nown |
| | | | | | | Sex Parti | ers of Per | son at Ris | k |
| 771 175 6 1 | 5 5 5 W 5 5 | | | | | ☐ Exposure | Incident | | • |
| 31-3345 (4 | RESULTS | TO THE OFFICE | OF H.E.C. D | EPARTMENT OF C | ORRECTIONS. | ☐ Other (sp.) | ecity) | | |
| | | L | NSTRIBUTION: | WHITE - DEPARTMENT | OF CORRECTIONS; | CANARY - LAB | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ANT | BODY TE | ST (DOC) | | | | | | | |
| ENT ID N | UMBER | • | | DATE DRAWN | *************************************** | SPACE BELO | W FOR LA | BORATO | DVIICE |
| E (LAST) | | | | FIRST | | LAB SERIAL NUMBE | R | 30117(10 | 11 OGE |
| | | | | FIRST | | | | | 1 |
| NOITUTION | | DATE OF BIRTH | RACE | SEX | TEST CODE | TEST PERFORMED | N | E | R |
| | | | | | 1251 0002 | ELISA | | | |
| WN BY | | | | | | Risk: | I. | | |
| | | | | | | HISK: Homo/Bis | avue! | | |
| ital Sta | itus: LJ N | farried 🗌 Sing | le 🗌 Divorc | ed 🗌 Widow 🔲 | Separated | Blood Rec | | ☐ IV Dr | ug User |
| | | | | • | | ☐ Heterosex | iai iai | ☐ Perin | ophiliac |
| ٠, | | | | | | Prostitute | | ☐ Tatto | |
| | | | | • | | ☐ Multiple Pa | rtners | ☐ Unkn | own |
| • | | | | | | Sex Partne | rs of Perso | on at Risk | |
| | | - | • | | | ☐ Exposure | ncident | | |
| URN R | ESULTS T | O THE OFFICE (| OF H.E.C. DE | PARTMENT OF CO | RRECTIONS | Other (spe | cify) | <u> </u> | |
| -334 5 (4 -9) | 3) | DIS | TRIBUTION: W | HITE - DEPARTMENT OF | CORRECTIONS CA | Alany : 45 | | | |

| STATE OF MISSOURI | | |
|--|--|--|
| | | |
| DEPARTMENT OF CORRECTIONS | | |
| MEDICAL SERVICES REQUEST | INSTITUTION DATE REC | EIVED BY MEDICAL |
| PATIENT NAME (PLEASE PRINT) | | |
| | OOC NUMBER DOB | DATE |
| HOUSING UNIT | | |
| | - WORKSCHOOL SCHEDULE | |
| LWISH TO BE SEEN BY (CHECK ONE) | FOR | |
| ☐ MEDIGAL ☐ MENTAL HEALTH ☐ DENTAL ☐ OTHER | R . | |
| THE CONTRACT OF THE CONTRACT O | WHAT MEDICATIONS ARE YOU CURRENTLY TAKING? | |
| WHAT MEDICATION? | THE TAKENGS AND TOU CURRENTLY TAKINGS | |
| WHAT EXISTING MEDICAL CONDITIONS HAVE BEEN DIAGNOSED? | | |
| DATEST COMME | | |
| PATIENT SIGNATURE AND AUTHORIZATION TO TREAT | INITIAL FOR RECEIPT OF DTC INSTRUCTIONS DATE | |
| C NOT WORK AND | DATE OF OF OTC INSTRUCTIONS DATE | TOME |
| DO NOT WRITE BELOW THIS LINE FOR MEDICAL USE ONLY | | A Same of the same |
| | DATE | |
| | | and the second s |
| Routine Diviental Health To DON | | |
| Urgent Visit Schoduled The real | ☐ To Dental ☐ To Optometry. | ☐ To Lab/X-Ray |
| ☐ Emergent ☐ Coctor Review, No Visit/Last Seen | ☐ Doctor Sick Call ☐ Nurse Sick Call | ☐ To Administrator |
| CHEDULING | | in in in the second |
| | | |
| Appointment Scheduled (Initials) | | |
| J FIGURE LOGE to be Schooling. | • • | • |
| I Complaint Code to be Scheduled (If No Protocol Available) | | See Current Listing (F19) |
| BRSING WSI In the second secon | | See Current Listing (F19) |
| 4.5 | And the second s | |
| P R B/P Wt. | AND STREET STREET | LYING |
| | VITALS BP P BP P | LYING |
| Documentation in computerized medical record | T Fall | |
| 1 Policoi completed | Follow up in days per MSR | f no improvement |
| ASE SKRNATURE | | |
| | DATE | TIME |
| YSICIAN VISIT | | |
| | The state of the s | |
| Documentation | | |
| Documentation in computerized medical record | ☐ Follow up in | |
| Michigany Unnecessary or Cosmetic Procedure | ☐ Follow up in days per MSR i | no improvement |
| Documentation in computerized medical record Medically Unnecessary or Cosmetic Procedure SIGNATURE | ☐ Follow up in days per MSR i☐ Referral or Non-Formulary Medication req | no improvement vested via computer |
| SCIAN SIGNATURE | ☐ Follow up in days per MSR i☐ Referral or Non-Formulary Medication req | no improvement uested via computer |
| MEDICAL ACTION TAKEN DATERNISM | ☐ Referral or Non-Formulary Medication req | uested via computer |
| MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled | LI Referral or Non-Formulary Medication req | uested via computer |
| MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled | uested via computer |
| MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled | uested via computer |
| MEDICAL ACTION TAKEN MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulant | ☐ Chronic Care Clinic Visit Scheduled ☐ Laboratory Test(s) Ordered / Scheduled ☐ X-Ray(s) Ordered / Scheduled | uested via computer |
| MEDICAL ACTION TAKEN MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulant | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled | uested via computer |
| MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled | ☐ Chronic Care Clinic Visit Scheduled ☐ Laboratory Test(s) Ordered / Scheduled ☐ X-Ray(s) Ordered / Scheduled | uested via computer |
| MEDICAL ACTION TAKEN MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulant | ☐ Chronic Care Clinic Visit Scheduled ☐ Laboratory Test(s) Ordered / Scheduled ☐ X-Ray(s) Ordered / Scheduled | uested via computer |
| MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. | ☐ Chronic Care Clinic Visit Scheduled ☐ Laboratory Test(s) Ordered / Scheduled ☐ X-Ray(s) Ordered / Scheduled | uested via computer |
| MEDICAL ACTION TAKEN MEDICAL ACTION TAKEN Follow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. | HEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled X-Ray(s) Ordered / Scheduled Medications ordered | uested via computer |
| MEDICAL ACTION TAKEN MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. | ☐ Chronic Care Clinic Visit Scheduled ☐ Laboratory Test(s) Ordered / Scheduled ☐ X-Ray(s) Ordered / Scheduled | uested via computer |
| MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Nursing Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. | DATE | uested via computer |
| MEDICAL ACTION TAKEN MEDICAL ACTION TAKEN Follow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled MEDICAL ACTION TAKEN DATE/INITIALS | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled X-Ray(s) Ordered / Scheduled Medications ordered Medications ordered Medications ordered | DATE/INITIALS |
| MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. MEDICAL ACTION TAKEN Oliow Up Physician Visit Scheduled Collow Up Nursing Visit Scheduled | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled X-Ray(s) Ordered / Scheduled Medications ordered Medications ordered Medications ordered | uested via computer |
| MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. MEDICAL ACTION TAKEN DATE/INITIALS MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled Medications ordered | DATE/INITIALS |
| MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. MEDICAL ACTION TAKEN DATE/INITIALS MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled Medications ordered Medication Test(s) Ordered Medication Test | DATE/INITIALS |
| MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. MEDICAL ACTION TAKEN DOC NEWSER MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Follow Up Referral or Non-Formulary | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled Medications ordered Medication Test(s) Ordered Medication Test | DATE/INITIALS |
| MEDICAL ACTION TAKEN Pollow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled Pending Referral or Non-Formulary Follow up with Physician when above is completed. MEDICAL ACTION TAKEN DATE/INITIALS MEDICAL ACTION TAKEN DATE/INITIALS Follow Up Physician Visit Scheduled Follow Up Nurse Practitioner Visit Scheduled | MEDICAL ACTION TAKEN Chronic Care Clinic Visit Scheduled Laboratory Test(s) Ordered / Scheduled Medications ordered | DATE/INITIALS |

| MEDICAL INFORMATION RELEASE AUTHORIZATION | ATTACHMENT C |
|---|---|
| STENDER NAME | ON |
| | NUMBER |
| | |
| | |
| I AM AWARE THAT I AM INFECTED WITH HIV (AIDS) | |
| By this document, I authorize the Department of Corrections to disclose of agencies, departments or other political subdivisions who need to public duties. | se the results of my HIV testing to public employees know the results of this HIV test to perform their |
| By this document, I authorize the Department of Corrections to make the results of my HIV testing to perform their public duties. | |
| By this document, I authorize the Department of Corrections to deter referred to have a proper interest in this information and to determinaction desirable or helpful. | mine in good faith whether the person or persons ne whether my best interest or welfare makes this |
| The consequences of signing this authorization document and the conseque have been explained to me. | |
| ENDER SIGNATURE | |
| INVERTIGIONATIONS | DATE |
| | |
| WITNESS SIGNATURE | DATE |
| | Unite . |
| | |
| | |
| | |
| | |
| | |
| • | |



| | | DOC NUMBER | |
|------------------------------|-----------------------|-------------------------------|---|
| | | 1 | INSTITUTION |
| | | { | ļ |
| | | | |
| | | • | |
| | | | |
| · | | | |
| | | | |
| Volume | | | |
| were recently tester | d for the presence of | the MIV | od. Your test did not find HIV |
| antibody in your blood | This does! | the HIV antibody in your blo | od. Your test did not find unv |
| the future Vou should a | it is does not mean | that you cannot test positive | od. Your test did not find HIV for the HIV at some time in |
| the fatale. You should di | rect any questions to | O VOUr institution's modi! | , tor the hiv at some time in |
| to disclose your results t | to anvone | - your mandations medical tr | e for the HIV at some time in nit staff. You are advised not |
| | | | |
| My signature acknowled | d | | eling and that I have been |
| Officially = 110 | iges that I have red | ceived HIV post-test course | oline and the |
| officially notified and I un | derstand the above | resulte | and that I have been |
| | db0ve | results. | |
| | | | |
| | | | |
| | | | |
| | | | |
| NOER SIGNATURE - | | | |
| - I GIGHATORE | DATE | MEDICAL STAFF SIGNATURE | |
| | ļ | MEDICAL STAFF SIGNATURE | DATE |
| | j | | _ |
| 761 (8-99) | <u></u> | | ļ. |
| | | | |
| | | | |


STATE OF MISSOURI DEPARTMENT OF CORRECTIONS NEGATIVE HIV TEST RESULTS

| | OFFENDER NAME | | |
|---|---------------|------------|-------------|
| | | DOC NUMBER | INSTITUTION |
| - | | | |
| Í | | <u></u> | |
| l | • | • | } |

You were recently tested for the presence of the HIV antibody in your blood. Your test did not find HIV antibody in your blood. This does not mean that you cannot test positive for the HIV at some time in the future. You should direct any questions to your institution's medical unit staff. You are advised not to disclose your results to anyone.

My signature acknowledges that I have received HIV post-test counseling and that I have been officially notified and I understand the above results.

| ·F. | ER SIGNATURE | | | |
|--------|--------------|------|---------------------------------------|------|
| | - ORTATORS | DATE | MEDICAL STAFF SIGNATURE | |
| | | | JOHN SIGNATURE | DATE |
| 931-37 | j (8-03) | | | |
| | | | · · · · · · · · · · · · · · · · · · · | |



| OFFENDER NAME | | |
|---------------|------------|-------------|
| | DOC NUMBER | INSTITUTION |
| | | |
| | | |
| You was | | |

You were recently tested for the presence of the HIV antibody in your blood. Your test was INCONCLUSIVE. This means that the initial HIV test (ELISA) was positive and the confirmatory HIV test (WESTERN BLOT) is negative. Because of these results, you will be retested in 30 days.

The Health Services Administrator or designee will advise you concerning future care related to HIV. You are advised not to disclose your test results to anyone except as required by law. Law requires notification of your health care provider(s) and sexual partners.

My signature acknowledges that I have received HIV post-test counseling and that I have been officially notified and I understand the above results.

| OFFENDER SIGNATURE | T | · | |
|---------------------|------|-------------------------|------|
| | DATE | MEDICAL STAFF SIGNATURE | DATE |
| MO 931 -4212 (8-99) | | | |

STATE OF MISSOURI
DEPARTMENT OF CORRECTIONS
INCONCLUSIVE HIV TEST RESULTS

| OFFENDER NAME | | |
|---------------|------------|-------------|
| | DOC NUMBER | INSTITUTION |
| | | |
| | | |


You were recently tested for the presence of the HIV antibody in your blood. Your test was INCONCLUSIVE. This means that the initial HIV test (ELISA) was positive and the confirmatory HIV test (WESTERN BLOT) is negative. Because of these results, you will be retested in 30 days.

The Health Services Administrator or designee will advise you concerning future care related to HIV. You are advised not to disclose your test results to anyone except as required by law. Law requires notification of your health care provider(s) and sexual partners.

My signature acknowledges that I have received HIV post-test counseling and that I have been officially notified and I understand the above results.

| C DER SIGNATURE | | • | |
|---------------------|------|-------------------------|------|
| | DATE | MEDICAL STAFF SIGNATURE | DATE |
| 4C) 931-4212 (8:99) | | | |

| | | DOC NUMBER | INSTITUTION |
|---|--|---|---|
| | <u>.</u> | | |
| You were recently tes EQUIVOCAL. This meamed that there is a high | ted for the present ans that the confirm gher possibility that | ce of the HIV antibody in nation HIV test was neither you are infected with HIV. | your blood. Your test was positive or negative. It also |
| Because of these resul retesting results. The Hecause related to HIV. You a | ts, you will be rete alth Services Admin are advised not to d | ested in 30 days. Follow-up istrator or designee will advi isclose your test results to a | o testing will depend on the se you concerning any future inyone except as required by requires you to notify health |
| | les that I have | | eling and that I have been |
| PER SIGNATURE | | | |
| - CO SIGNATURE | DATE | MEDICAL STAFF SIGNATURE | DATE |
| | | | |



| OFFENDER NAME | | |
|---------------|------------|-------------|
| | DOC NUMBER | INSTITUTION |
| | | |
| | | |
| | | |

You were recently tested for the presence of the HIV antibody in your blood. Your test was EQUIVOCAL. This means that the confirmation HIV test was neither positive or negative. It also means that there is a higher possibility that you are infected with HIV.

Because of these results, you will be retested in 30 days. Follow-up testing will depend on the retesting results. The Health Services Administrator or designee will advise you concerning any future care related to HIV. You are advised not to disclose your test results to anyone except as required by law. Since it is not possible to exclude you as being infected with HIV, law requires you to notify health care provider(s) and sexual partners of your HIV status.

My signature acknowledges that I have received HIV post-test counseling and that I have been officially notified and I understand the above results.

| F ZER SIGNATURE | DATE | MEDICAL STAFF SIGNATURE | |
|-----------------|------|-------------------------|------|
| 931-4213 (६-१९) | | | DATE |

| INTERVENTION/PREVENTION SERVICES | | |
|--|--|--|
| | | TO REFER AN ĤÎV-INFECTED CLIENT |
| 26. Y N Patient (or Parent/Guardian) Informed of HIV Infer | ction Status | |
| M Physician Has Performed Spousal Notification | | FOR: HIV/AIDS Care Case Management Services KANSAS CITY: 816/513-6229; ST. LOUIS: 314/612-5188 |
| Physician Requests Partner Notification Assistance | Δ. | Or the Missouri Department of Health and Senior Services (MDHSS) |
| Physician Requests Support/Referral Information | Consisos | Section of STD/HIV |
| Patient is Receiving Treatment for HIV/AIDS | Services | Jefferson City, MO - PH: 573/751-6439 |
| If Yes. Antiretroviral OI Prophylaxis | | 500 First 14 M. C |
| 27. PATIENT'S MEDICAL TREATMENT PRIMARILY REIMBI | UDGED DV | FOR: Public Health Counseling and Intervention Services |
| Private Insurance, HMO Medicare | OKSED BA: | (Partner Notification OR Level II Client*) |
| | | Kansas City: 816/513-6152; St. Louis: 314/612-5200 |
| Private Insurance, Non HMO Self Pay | | Your Local County or District Health Office, or the MDHSS |
| ☐ Medicaid Managed Care ☐ No Coverage | | Office of Surveillance, Jefferson City, MO - PH: 573/751-6148 |
| ☐ Medicaid Fee-for-Service ☐ Other: | | TO OBTAIN ADDITIONAL INFORMATION: |
| 28. PHYSICIAN NAME, ADDRESS, TELEPHONE: | | HIV CLINICAL CONSULTATION SERVICE: 1-800-933-3413 |
| The state of the s | | OCCUPATIONAL EXPOSURE PROPHYLAXIS |
| | | HOTLINE: 1-888-448-4911 |
| | | HIV/AIDS TREATMENT INFO. SERVICE: 1-800-HIV-0440 |
| | | NATIONAL AIDS HOTLINE: 1-800-342-AIDS MO HIV/STD HOTLINE: 1-800-533-AIDS |
| | | KC HIV/AIDS HOTLINE: 816/ 513-6000 |
| 29. PERSON COMPLETING HIV REPORT: | 30. DATE: | |
| | 00. 27.12. | (*An HIV-infected person who knowingly continues to expose |
| | | others to HIV) |
| 31. COMMENTS: | | Health Department Use Only: Type of Report: VY SD |
| | | |
| | | Initial Source: Report Source: Source: Report Sourc |
| REPORT 930 Wildwood, P.O. Box 570 TO: Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) | 2400 Troost Ave., Kansas Tel: (816) 513-6152 | priate City Health Department (Addresses Below) riment St. Louis Dept. of Health and Hospitals Unit Surveillance Unit / Room 436 s City, MO 64108 634 No. Grand Bivd., St. Louis, MO 63103 Tel: (314) 612-5188 SHP-2 |
| HO: Jelférson City, MO: 65102-0570 Tel: (573) 751-6463 MO: 580-1641 (4-02) | | SHP-2 |
| HO: Jelférson Cily, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO | NFIDENTIAL | REPORT OF HIV INFECTION |
| 10: | NFIDENTIAL PATIENT | REPORT OF HIV INFECTION HISTORY |
| HO: Jelférson Cily, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO | NFIDENTIAL PATIENT | REPORT OF HIV INFECTION HISTORY |
| Jefferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) | NFIDENTIAL PATIENT 15. AFTER 1: Y N | SHP-2 REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) |
| 10: | NFIDENTIAL PATIENT 15. AFTER 1: Y N | SHP-2 REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) |
| Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) | PATIENT 15. AFTER 1: Y N Sex | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male |
| Jefferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) | PATIENT 15. AFTER 1: Y N O Sex | SHP-2 REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female |
| Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) | PATIENT 15. AFTER 1: Y N Sex 1: Sex 1: Inject | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs |
| Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) | PATIENT 15. AFTER 1: Y N Sex ! Sex ! Inject Rece | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs sived Clotting Factor |
| Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) 3. ADDRESS (STREET, APT. M, P.O. BOX NO.) | PATIENT 15. AFTER 1: Y N Sex Y Sex I Inject Blood | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs inved Clotting Factor VIII X Other: |
| Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) 3. ADDRESS (STREET, APT. M, P.O. BOX NO.) CITY, STATE, ZIP CODE | PATIENT 15. AFTER 1: Y N Sex 1: Inject Blood | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs sieved Clotting Factor VIII X Other: d Transfusion: First |
| Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) 3. ADDRESS (STREET, APT. M, P.O. BOX NO.) CITY, STATE, ZIP CODE | PATIENT 15. AFTER 1: Y N Sex 1: Sex 1: Rece Blood Work Recip | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs bived Clotting Factor VIII X Other: d Transfusion: First |
| Jefferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) 3. ADDRESS (STREET, APT. #, P.O. BOX NO.) CITY, STATE, ZIP CODE COUNTY 4. TELEPHONE () | NFIDENTIAL PATIENT 15. AFTER 1: Y N Sex 1: Sex 1: Inject Security | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs pived Clotting Factor VIII IX Other: d Transfusion: First |
| Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) 3. ADDRESS (STREET, APT. M, P.O. BOX NO.) CITY, STATE, ZIP CODE | PATIENT 15. AFTER 1: | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs eived Clotting Factor VIII IX Other: d Transfusion: First |
| Jelferson City, MO 65102-0570 Tel: (573) 751-6463 MO 580-1641 (4-02) PHYSICIAN'S CO PATIENT INFORMATION 1. PATIENT ID NUMBER (FROM LAB SLIP) 2. PATIENT NAME (LAST, FIRST, MI) 3. ADDRESS (STREET, APT, M, P.O. BOX NO.) CITY, STATE, ZIP CODE COUNTY 4. TELEPHONE () 5. SS # 6. DCN # | PATIENT 15. AFTER 1: Y N Sex 1: Sex 1: Rece Blood Work Work Work HETEROSE: Hipecl | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs sived Clotting Factor VIII IX Other: d Transfusion: First |
| MO | PATIENT 15. AFTER 1: Y N | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs eived Clotting Factor VIII IX Other: d Transfusion: First Last / ted In Health Care Setting: Occupation: pient Of Tissue/Organs/Artificial Insemination XUAL RELATIONS WITH: ton Drug User ton With Hemophilia/Congulation Disorder |
| MO | PATIENT 15. AFTER 1: Y N | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs eived Clotting Factor VIII IX Other: d Transfusion: First Last / ted In Health Care Setting: Occupation: pient Of Tissue/Organs/Artificial Insemination XUAL RELATIONS WITH: ton Drug User ton With Hemophilia/Congulation Disorder |
| MO | PATIENT 15. AFTER 1: | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs eived Clotting Factor VIII X Other: d Transfusion: First Last / ted In Health Care Setting: Occupation: pient Of Tissue/Organs/Artificial Insemination XUAL RELATIONS WITH: tion Drug User tual Male ton With Hemophilia/Coagulation Disorder flusion/Transplant Recipient With Documented HIV infection |
| MO | PATIENT 15. AFTER 1: | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs eived Clotting Factor VIII X Other: d Transfusion: First Last / L |
| MO Section | PATIENT 15. AFTER 1: | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs ived Clotting Factor VIII X Other: d Transfusion: First |
| MO | PATIENT 15. AFTER 1: | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs ived Clotting Factor VIII X Other: d Transfusion: First |
| MO | PATIENT 15. AFTER 1: | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs inved Clotting Factor VIII X Other: d Transfusion: First |
| MO | PATIENT 15. AFTER 1: | REPORT OF HIV INFECTION HISTORY 977, THIS PATIENT HAD: (CHECK ALL THAT APPLY) With Male With Female ted Non-Prescription Drugs ived Clotting Factor VIII X Other: d Transfusion: First |

Y N Patient is Currently Pregnant EDC: ____/___/

If Yes, Week of Pregnancy Antiretroviral Therapy Began:_____

ZDV (AZT) Other:

MO 580-1641 (4-02)

Number of Live-Born Infants Delivered in the Last 18 Months: ____

DOB: ___/___ Birth Hospital: _____

. Breastfed Y N

Breastfed Y N

SHP-22

Provide Birth Information for Most Recent Birth(s):

__/___/___ Birth Hospital: _

DOB: ___

(CONTINUED)

| 18. CURRENT HIV TEST(s) Inco | LABOR/ n- Not TEST DAT | ATORY DATA | |
|--|--|---|--|
| HIV Antibody Tests: Pos Neg clusion | n- <u>N</u> ot TEST DAT /e <u>D</u> one MM/DD/Y\ | , I DOCUMENTED, IS THE DIAGROSE | D BY A PHYSICIA |
| HIV-1 EIA | | Y N If Yes, Diagnosis Date:/ | |
| HIV-1 Western Blot/IFA | <u> </u> | Provider: City/State: | |
| HIV-1/HIV-2 Combination EIA | | | |
| HIV Antibody Test Specimen Was: | Done MM/DD/YY Done MM/DD/YY J / / J / / D J / / D TEST DATE MM/DD/YY MM/DD/YY | Provider: | Culture (VL) / / dicare Eligibility st TEST DAT |
| MO 580-1641 (4-02) | | First CD4+below 200μL or 14%[],[] [] cells (If Known) [] [] % | |
| 24. Y N PATIENT MEDICALLY EVALUATED? If Yes, Check Asymptomatic Symptomatic Symptomatic, No History of AIDS-Defining Illness CD4+ is now or has been <200/14% Symptomatic, AIDS-Defining Illness Diagnosed Candidiasis, bronchi, trachea, lungs Candidiasis, esophageal Carcinoma, invasive cervical Coccidioidomycosis, disseminated or extrapulmonary Cryptococcosis, extrapulmonary Cryptosporidiosis, chronic intestinal Cytomegalovirus disease (other than liver, splean, or nodes) Cytomegalovirus retinitis (vision loss) HIV encephalopathy Herpes simplex: chronic ulcer(s): or bronchitis, | CLINICA All That Apply Def. Pres. Mo/Yr | L STATUS - Kaposi's sarcoma | Pres. Mo/Yr |
| pneumonitis, esophagitis fistoplasmosis, dissem. or extrapulm. fsosporiasis, chronic intestinal (>1 mo) | | Pediatric: (Additional Indicator Diseases) Bacterial infections, multiple or recurrent, (incl. Salmonella septicemia) Lymphoid interstitial pneumonia and/or pulmonary lymphoid hyperplasia | <u></u> |
| 25. If AIDS, Facility of Diagnosis: | | | <u> </u> |
| City/State: | | TYPE OF FACILITY WHERE AIDS WAS DIAGNOSED: (Check On | = |
| ☐ Public ☐ Private ☐ Federal | | ☐ Hospital Inpatient ☐ Hospital Outpatient ☐ Public Clir | nic |
| | | Physician's Office Other: | |
| Def. = definitive diagnosi | s Pres. = presumptiv | e diagnosis Mo/Yr = date of initial diagnosis | |
| O 580-1641 (4-02) | (CONTINUED | | SHD 33 |

| <u>₹</u> [- | ם ת | 2 | : | 75 | ര | 10 | 10 | <u></u> | | | 1, | | • 1 | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | , I=- | | PACH | | | |
|----------------------|----------------|------------|---|-------------|------|-----|-----|------------|----------------|-------------|----------|-----------------|-----------------|---|-----------|-------------|--------|---------------|--|--|
|) 931-4033 (3-97) | HYSICIAN NAME | NURSE NAME | | MEDICATIONS | G6PD | СВС | CD4 | VIRAL LOAD | PE (X if done) | HEPATITIS B | EYE EXAM | MAC PROPHYLAXIS | PCP PROPHYLAXIS | TOU | PNEUMOVAX | FLU VACCINE | WEIGHT | DATE OF VISIT | | DEPARTI HIV/AID |
| TREATMENTS DONE AT E | PHYSICIAN NAME | | | | | | | | | | | | | | | | | | | C. ATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV/AIDS SUMMARY TREATMENT RECORD |
| ACH VISIT | | | | | | | | | | | | | | | | | | | | REATMENT RE |
| | | | | | | | | | | | | | | | | | | | | CORD |
| | | | | | | | | | | | | | | | | | | | COCA | |
| | | | | | , | | | | | | | | | | | | | | The state of the s | |
| | | | | | | | | | | | | | | | | | | | | - |

| ТО | INSTITUTIONAL PAROLE OFFICE | FROM | INFECTION CONTR | IOL NURSE |
|--|--|--|--|--|
| JECT | HIV INFECTION STATUS | OFFENDER N | AME | DOC NUMBER |
| The above offender to ongoing for | e named offender has recently been tested for Honas been exposed to the Human Immunodificiently. | IV and her/his te ncy Virus and a | st has been tested " t this time is consid | positive". This is indicative that ered infected. She/he will rec |
| She/he ha is and the | is received diagnostic testing and possible treatn State Law regarding risky activity and notificatio | nent has been ir n of contacts. S | nplemented. She/he | has been counseled on what |
| А | Discharge Plan has been implemented with the prior to the release of this offender. | Department of H | lealth | wed in our childric care clinic |
| Of | fender is presently on HIV medications | | | |
| Of | fender is not presently on HIV medications | | | |
| hank you | for your assistance in ensuring continuity of care | e for this offende | er upon her/his relea: | se. |
| EDICAL STAF | | | | |
| COIONE DIM | FSIGNATURE | | | |
| | F SIGNATURE | | | DATE |
| 931-4180 (3-99 | DISTRIBUTION: ORIGINAL - MEDICAL STATE OF MISSOURI | FILE CANARY - INSTI | | |
| 931-4180 (3-99 | DISTRIBUTION: ORIGINAL - MEDICAL STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION | 李 基础 " 可是一次的最 | TUTIONAL PAROLE OFFICER | |
| 931-4180 (3-99 | DISTRIBUTION: ORIGINAL-MEDICAL STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION NSTITUTIONAL PAROLE OFFICE | FROM | INSTITU NFECTION CONTROL | JΠΙΟΝ L NURSE |
| 931-4180 (3-99 | DISTRIBUTION: ORIGINAL - MEDICAL STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION | · "一种种"和"一种"和"一种"和"一种"和"一种"和"一种"和"一种"和"一种" | INSTITU NFECTION CONTROL | ITION |
| 931-4180 (3-99 | STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION INSTITUTIONAL PAROLE OFFICE IIV INFECTION STATUS named offender has recently been tested for HIV is been exposed to the Human Immunodificience | FROM OFFENDER NAME | NFECTION CONTROL | TION L NURSE DOC NUMBER |
| 931-4180 (3-99 III IBJECT H e above nender has going followe/he has i | STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION INSTITUTIONAL PAROLE OFFICE IIV INFECTION STATUS named offender has recently been tested for HIV is been exposed to the Human Immunodificiency ow-up. | OFFENDER NAME and her/his test y Virus and at t | NFECTION CONTROL has been tested "po- his time is considered | DOC NUMBER DOC NUMBER Sitive". This is indicative that the dinfected. She/he will requi |
| e above nender has going followed the Stand the Stand A Dis | STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION INSTITUTIONAL PAROLE OFFICE IIV INFECTION STATUS named offender has recently been tested for HIV is been exposed to the Human Immunodificiency | OFFENDER NAME and her/his test y Virus and at t nt has been imp of contacts. She | has been tested "po- his time is considered the has been followed | DOC NUMBER DOC NUMBER Sitive". This is indicative that the dinfected. She/he will requi |
| P31-4180 (3-99 IBJECT H e above nender has going followe/he has it and the St A Dispri | STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION INSTITUTIONAL PAROLE OFFICE IIV INFECTION STATUS named offender has recently been tested for HIV is been exposed to the Human Immunodificience ow-up. received diagnostic testing and possible treatmentate Law regarding risky activity and notification of scharge Plan has been implemented with the Description of the property of the pro | OFFENDER NAME and her/his test y Virus and at t nt has been imp of contacts. She | has been tested "po- his time is considered the has been followed | DOC NUMBER DOC NUMBER Sitive". This is indicative that the dinfected. She/he will requi |
| e above nender has going following the Stand the Stand Offer | STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION INSTITUTIONAL PAROLE OFFICE IIV INFECTION STATUS Inamed offender has recently been tested for HIV is been exposed to the Human Immunodificience ow-up. Ireceived diagnostic testing and possible treatmentate Law regarding risky activity and notification of scharge Plan has been implemented with the Defior to the release of this offender. | OFFENDER NAME and her/his test y Virus and at t nt has been imp of contacts. She | has been tested "po- his time is considered the has been followed | DOC NUMBER DOC NUMBER Sitive". This is indicative that the dinfected. She/he will requi |
| e above nender has going followed the Stand the Stand Offer Offer | STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION INSTITUTIONAL PAROLE OFFICE IIV INFECTION STATUS mamed offender has recently been tested for HIV is been exposed to the Human Immunodificience ow-up. received diagnostic testing and possible treatmentate Law regarding risky activity and notification of scharge Plan has been implemented with the Defior to the release of this offender. Index is presently on HIV medications | offender Name and her/his test y Virus and at t onthis been implified to the contacts. She | has been tested "porhis time is considered lemented. She/he has been followed with the considered lemented. | DOC NUMBER DOC NUMBER Sitive". This is indicative that the dinfected. She/he will require the state of the counseled on what Hilled in our Chronic Care Clinic. |
| e above nender has going following offer offer ank you for the part of the property of the pro | STATE OF MISSOURI DEPARTMENT OF CORRECTIONS HIV INFECTION STATUS NOTIFICATION NSTITUTIONAL PAROLE OFFICE IIV INFECTION STATUS named offender has recently been tested for HIV is been exposed to the Human Immunodificience ow-up. received diagnostic testing and possible treatmentate Law regarding risky activity and notification of scharge Plan has been implemented with the Defior to the release of this offender. Inder is presently on HIV medications Inder is not presently on HIV medications | offender Name and her/his test y Virus and at t onthis been implified to the contacts. She | has been tested "porhis time is considered lemented. She/he has been followed with the considered lemented. | DOC NUMBER Sitive". This is indicative that the dinfected. She/he will require the second se |

ATTACHMENT I

| | | DOC NUMBER | INSTITUTION |
|-------------------------------|--------------------|-------------------------------|--|
| ····· | | | , and the state of |
| | | | |
| | | | |
| | | | |
| You were recently tests | d for the | | |
| which means you have | the line present | ce of the HIV antibody in you | ur blood. Your test is reactive |
| | | and the virus. | |
| The Health Services Adr | ninictentar | | |
| You are advised not to c | isclose vous to t | gnee will advise you concern | ing future care related to HIV |
| notification of your health | Care provided | results to anyone except as | ing future care related to HIV. required by law. Law requires |
| | | | |
| My signature acknowled | ges that I have | rocoined LIDA | |
| officially notified and I und | derstand the about | received HIV post-test coun | seling and that I have been |
| | - WIG GEOV | e resuits. | |
| | | | |
| | | | |
| NDER SIGNATURE - | DATE | | |
| | DATE | MEDICAL STAFF SIGNATURE | DATE |
| 211 (8-99) | | | |
| - 1,- 40/ | | | } |

| | STATE OF MISSOURI |
|------|---------------------------|
| | |
| にはいく | DEPARTMENT OF CORRECTIONS |
| | POSITIVE HIV TEST RESULTS |
| | |

| OFFENDER NAME | · | | | |
|---|---|---|---------------------|---------------------------|
| | | DOC NUMBER | INSTITUTION | |
| | | | | |
| | | | | |
| You were recently tested which means you have the | for the presence of e HIV antibody and | the HIV antibody in you are a carrier of the virus. | ır blood. Your test | is reactive, |
| The Health Services Admi You are advised not to dis notification of your health o | nistrator or designee | will advise you concern | | ted to HIV. w requires |
| My signature acknowledge officially notified and I unde | es that I have | | seling and that I h | ave been |
| | | | | |
| | | | | |
| ER SIGNATURE . | DATE | MEDICAL STAFF SIGNATURE | | DATE |
| | | | | DA, L |



Missouri Department of Health and Senior Services P.O. Box 570, Jefferson City, MO 65102-0570 Phone: 573-751-6400 FAX: 573-751-6010



Bob Holden Governor

Richard C. Dunn

Date of Referral: ____/___/

CORRECTIONAL MEDICAL SERVICES REFERRAL TO POSITIVE START TRANSITIONAL CASE MANAGEMENT


| | Phone Number: | | | |
|---|---|----------------------------|--|--|
| (| OFFENDER REFERRED | | | |
| Name: | | Daga | | |
| Date of Birth: | Social Security Numb | er· | | |
| Department of Correction Number: | | OI. | | |
| Date of HIV Diagnosis: | CD4 Count: | Date: | | |
| , | Viral Load: | Date: | | |
| DATE OF DISCHARGE: | Discharge Phon | ٥٠ | | |
| Discharge Address: | | · | | |
| Previously in Medical Care: | Y N Physician | | | |
| Current Medications: | | | | |
| Co-morbidity: | | | | |
| | | | | |
| | | | | |
| | | | | |
| COMMENTS: PLEASE FAX THE REFERRA Departn | L TO: <u>Roberta Renicker RN B</u> nent of Health and Senior Services Section of STD/HIV | | | |
| PLEASE FAX THE REFERRA Departm 9 Jeff | L TO: <u>Roberta Renicker RN B</u> nent of Health and Senior Services Section of STD/HIV 30 Wildwood, PO Box 570 | <u>SN MSA 573-751-6447</u> | | |
| COMMENTS: PLEASE FAX THE REFERRA Departn 9 Jeff | L TO: <u>Roberta Renicker RN B</u> nent of Health and Senior Services Section of STD/HIV 30 Wildwood, PO Box 570 | <u>SN MSA 573-751-6447</u> | | |
| COMMENTS: PLEASE FAX THE REFERRA Departm | L TO: <u>Roberta Renicker RN B</u> nent of Health and Senior Services Section of STD/HIV 30 Wildwood, PO Box 570 ferson City, MO 65102-0570 | <u>SN MSA 573-751-6447</u> | | |

| Patient's Name: | | ATT | ACHMENT L | |
|--|--|--|---|--|
| (Last, First, M.I.) Address: | | | Phone | |
| HENVENDED ESVENEZA (CALAMEAN DE DEPART | City: 加到社 | County: — Patient i | State: | Zip Code: not transmitted to CDC! – |
| DEPARTMENT OF HEALTH ADULT HIN MAN SERVICES s for Disease Control (Patien revention) | //AIDS CON ots ≥13 years o | FIDENTIAL Caf age at time of d | ASE REPORT | CDC CENTERS FOR DOSAGE CONTROL MO PREVIOUS |
| UNICIONAL COMPLETED F | | ARTMENT USE ON | | Form Approved OMB No. 0920-0009 |
| REPORT SOURCE: SOUNDEX REPORT SOURCE: New Rep 2 Upd | State: | ING HEALTH DEPARTM | State Patient No.: | |
| | III. DEMOGRAF | HIC INFORMATION | 4 | |
| DIAGNOSTIC STATUS AGE AT DIAGNOSIS: DA AT REPORT (check one): 1 HIV Infection (not AIDS) 2 AIDS SEX: RACE/ETHNICITY: | TE OF BIRTH: Day Yr. | CURRENT STATUS: Alive Dead Unk. 1 2 9 COUNTRY OF BIR | DATE OF DEATH: Mo. Day Yr. ITH: | STATE/TERRITORY OF DEATH: |
| 1 Male 1 White (not Hispanic) 2 Black (not H 2 Female 4 Asian/Pacific Islander 5 Alaska Nativ RESIDENCE AT DIAGNOSIS: | ٠ ٠ السما | (sp | S. Dependencies and Posecify): | ssessions (including Puerto Rico) 9 Unknown |
| | | State/ Country: | Zip Code: | |
| IV. FACILITY OF DIAGNOSIS | | | ATIENT HISTORY | <u> </u> |
| City late/Country LITY SETTING (check one) Public 2 Private 3 Federal 9 Unk. FACILITY TYPE (check one) Physician, HMO 31 Hospital, Inpatient BB Other (specily): This report to the Centers for Disease Control and Prevention (CDC) is authorized by law (Sections 304 and 306 of the Public Health Service Act, 42 USC 242b and 242k). Response in this case is voluntary for lederal government purposes, but may be mandatory under state and local statutes. Your cooperation is necessary for the understanding and control of HIV/AIDS, information in CDC's HIV/AIDS surveillance system that would permit identification of any individual on whom a record is maintained, is collected with a guarantee that it will be held in confidence, will be used only for the purposes stated in the assurance on fills at the local health department, and will not otherwise be disclosed or released without the consent of the individual in accordance with Section 308(d) of the Public Health Service Act (42 USC 242m). | Sex with male Sex with femal Injected nonpr Received clotti Specify 1 Far disorder: (He HETEROSEXU Intraven Bisexual Person v Transflus Person v Received trans Received trans Worked in a he (specify occ | e | ilia 8) (specity): | egories): Yes No Unk. 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 1 0 9 |
| I. HIV ANTIBODY TESTS AT DIAGNOSIS: No. | | TONT DATA | | |
| (Indicate first test) Pos Neg Ind Pool Done • HIV-1 EIA 1 0 - 9 • HIV-1/HIV-2 combination EIA 1 0 - 9 • HIV-1 Western blot/IFA 1 0 8 9 • Other HIV antibody test 1 0 8 9 | MO. Yr. | (specify type): • If HIV laboratory diagnosis docum | tests were not document nented by a physician? | ted, is HIV Yes No Unk. 1 0 9 |
| 2. POSITIVE HIV DETECTION TEST: (Record earliest test) Culture antigen PCR, DNA or RNA probe Other (specily): DETECTABLE VIRAL LOAD TEST: (Record most recent test) Test type COPIESMAL | Mo. Yr. | CD4 Count CD4 Percent First <200 µL or <14 | CURRENT DIAGNOSTIC S | cells/µL |
| 'Type: 11. NAS8A (Organon) 12. RT-PCR (Roche) 13. bDNA(C | | CD4 Count CD4 Percent | | cells/µL |

| Physician's Name: (Last, First, M.(.) | | Phone No.: (| ATTACHMENT L PAGEdical |
|--|--|----------------------------|--|
| Hospital/Facility: | Person | | Phone No.: () |
| | Patient identifier informatio | n is not tran | |
| | VIII. CLINIC | | |
| | ATE PATIENT <u>Asymptomatic</u> GNOSED AS: (including acu | | Mo. Yr. Symptomatic Mo. Yr. |
| AIDS INDICATOR DISEASES | itial Diagnosis Initial Date Def. Pres. Mo. Yr. | | AIDS INDICATOR DISEASES Initial Diagnosis Initial Date Def. Pres. Mo. Yr. |
| Candidiasis, bronchi, trachea, or lungs | 1 NA | Lymphoma | 3. Burkitt's (or equivalent term) |
| Candidiasis, esophageal | 1 2 | Lymphoma | a, immunoblastic (or equivalent term) |
| Carcinoma, invasive cervical | 1 NA | Lymphoma | a, primary in brain |
| Coccidioidomycosis, disseminated or extrapulmonary | 1 NA | Mycobacte disseminal | ed or extrapulmonary |
| Cryptococcosis, extrapulmonary | 1 NA | | losis, pulmonary 1 2 |
| Cryptosporidiosis, chronic intestinal (>1 mo. duration) | 1 NA | M. tubercul | losis, disseminated or extrapulmonary* 1 2 |
| Cytomegalovirus disease (other than in liver, spleen, or nodes) | 1 NA | Mycobacter species, dis | rium, of other species or unidentified 1 2 2 |
| Cytomegalovirus retinitis (with loss of vision) | 1 2 | | stis carinii pneumonia 1 2 |
| | 1 NA | Pneumonia | , recurrent, in 12 mo. period |
| Herpes simplex: chronic ulcer(s) (>1 mo. duration); or bronchitis, pneumonitis or esophagitis | 1 NA | Progressive | multifocal leukoencephalopathy 1 NA |
| Histoplasmosis, disseminated or extrapulmonary | 1 NA | Saimonella | septicamia, recurrent 1 NA |
| Isosporiasis, chronic intestinal (>1 mo. duration) | 1) NA | Toxoplasmo | osis of brain 1 2 |
| posi's sarcoma | 1 2 | Wasting syn | drome due to HIV |
| Def. = definitive diagnosis Pres. = presump | | * RVCT CASE | E NO.: []]]] |
| If HIV tests were not positive or were not done, d an immunodeficiency that would disqualify him/t | oes this patient have ner from the AIDS case definition | ? 1 Yes | 0 No 9 Unknown |
| | IX. TREATMENT/SERV | VICES REFE | ERRALS |
| Has this patient been informed of his/her HIV infe | | 9 Unk. | This patient is receiving or has been referred for: Yes No NA University |
| This patient's partners will be notified about their 1 Health department 2 Physician/p | rovider 3 Patient 9 | oy: Unknown | HIV related medical services |
| Clinica | tient has been enrolled at: al Trial Clinic | | This patient's medical treatment is primarily reimbursed by: |
| Anti-retroviral Yes No Unk. therapy | IH-sponsored I HRSA-s | sponsored | 1 Medicaid 2 Private insurance/HMO |
| Yes No Unk. 3 N | one 2 Other | | 3 No coverage 4 Other Public Funding 7 Clinical trial/ 9 Unknown |
| | nknown 9 Unknow | 1 | government program |
| FOR WOMEN: • This patient is receiving or had • Is this patient currently pregna | s been referred for gynecologic ant? | al or obstetric | |
| Has this patient delivered live- | born infants?1 Y | es (if delivere | d after 1977, provide birth information o No 9 Unknown |
| HILD'S DATE OF BIRTH: Mo. Day Yr. Hospital of Birth: | | Delow for | the most recent birth) Soundex: Child's State Patient No. |
| | State: | | |
| OMMENTS: | | | |
| | | | |

confidential

IN THE UNITED STATES NO POSTAGE NECESSARY IF MAILED



MO 580-1759 (9-01)

BUSINESS REPLY MAIL

FIRST CLASS MAIL

PERMIT NO. 160

JEFFERSON CITY, MO

POSTAGE WILL BE PAID BY ADDRESSEE

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES P O BOX 570

JEFFERSON CITY MO 65102-9813

MISSOURI DEPARTMENT OF CORRECTIONS
INSTITUTIONAL SERVICES
POLICY AND PROCEDURE MANUAL

| TODICT AND TROCEDURE MANUAL | |
|-------------------------------|-------|
| ***************************** | ***** |

IS11-14.5

Personal Protective Equipment

Effective Date:

January 23, 2006

Ralf J. Salke

Vice President of Operations

Elizabeth Conley, D.O.

Regional Medical Director

Terry Moore, Director

Division of Adult Institutions

Randee Kaiser, Director

Division of Offender Rehabilitative

Services

- I. Purpose: This procedure has been developed to ensure personal protective equipment required for respiratory isolation or universal blood and body fluid precautions is readily available for health care staff coming in contact with infectious offenders in infirmaries.
 - A. AUTHORITY: 217.175, 217.320 RSMo, NCCHC Standards for Health Services in Prisons, 2003.
 - B. APPLICABILITY: All offenders and staff in a correctional center and institutional treatment center under the jurisdiction of the Division of Adult Institution or Division of Offender Rehabilitative Services. Standard Operating Procedure (SOP) specific to provision of health services procedures at the institution should be developed by the health services administrator in consultation with the medical director, other professional health providers, and the superintendent/designee.
 - C. SCOPE: Nothing in this procedure is intended to give a protected liberty interest to any offender. This procedure is intended to guide staff actions.

II. DEFINITION:

- A. **Personal Protective Equipment:** Consist of goggles, mask, gloves, CPR mask with a one way valve and an impervious gown.
- B. Emergency Response Bags: A tote or canvas bag that at a minimum contains personal protective equipment.

III. PROCEDURES:

- A. Personal protective equipment should be available for use by health care staff in areas where exposure to blood or body fluids may be reasonably expected to occur.
 - 1. Personal protective equipment will be provided and maintained for the purpose of this procedure by the health services administrator.

Effective Date:

- The health service administrator/designee will ensure equipment is available for staff 2. through monthly unit checklist monitoring and safety inspections.
- B. Emergency response bags will contain personal protective equipment.
- C. The health care staff may request any other items that may be required for personal protection for universal blood and body fluid precautions through the health services administrator.
- D. A bag containing disposable gloves, fluid impervious gown, goggles, and a mask, should be readily available and accessible in all offender health treatment areas.
- E. Used supplies should be disposed of in appropriate containers and bag contents replaced by the health service administrator/designee by the end of the shift for which the supplies were used.
- F. Health care staff shall communicate the use of personal protective equipment to the health services administrator/designee and superintendent/designee whenever special precautions are required for patient transportation utilizing Medical Transportation Requirements form (Attachment A).

IV. **ATTACHMENTS**

A. 931-4171 Medical Transportation Requirements

V. REFERENCES:

- National Commission on Correctional Health Care: Standards for Health Services in Prisons, A. 2003, P-B-01 Infection Control Program - essential, P-B-02 Environmental Health and Safety essential.
- В. CMS Infection Control Manual
- VI. HISTORY: This policy was originally covered by IS11-14.5 Personal Protective Equipment Procedure, located in the Missouri Department of Corrections Institutional Services Policy and Procedures Manual; Original Rule Effective: August 15, 1994.

A. Original Effective Date:

August 15, 1994

B.

Revised Effective Date:

October 15, 1999

C. Revised Effective Date:

January 23, 2006



MEDICAL TRANSPORTATION REQUIREMENTS

| OFFENDER NAME | | | | DOC NUMBER |
|---|---------------------------------------|--|---|-------------|
| INSTITUTION | ··· | | | |
| CHECK APPLICABLE AREA | | | | |
| 1. PRIVATE TRANSPORTATION | 2. ARE MASKS INDICATED | | 3. TYPE | |
| ☐ YES ☐ NO | YES NO | | □ N-95 □ SU | RGICAL HEPA |
| *NOTE: AT LEAST ONE WINDOW MUST | BE OPENED A MINIML | IM OF 1/2 INCH TO ALLOW | V FOR PROPER VE | ENTILATION. |
| 4. ARE GOWNS INDICATED YES IF SOILING IS LIKELY YE | S FOR ALL RIDING IN | VEHICLE OR ENTERING F | ROOM 🗆 NO | |
| S. ARE GLOVES INDICATED YES FOR TOUCHING CONTAMINATE | <u></u> | ES FOR ALL RIDING IN V | | |
| 6. UNIVERSAL PRECAUTIONS SHOULD BE FOLLO | · · · · · · · · · · · · · · · · · · · | | | |
| 7. THE FOLLOWING CONTAMINATED MATERIALS O | OR *BODY FLUIDS ARE DOUB | E BAGGED AND LABELED PRIOR | | |
| *BODY FLUIDS INCLUDE BLOOD, SEMEN, DRAIN | O INSTITUTIONAL MEDICAL S | TAFF FOR DISPOSAL. | | |
| AND SALIVA. 8. ADDITIONAL PRECAUTIONS OR INSTRUCTIONS: | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | , -, -, -, -, -, -, -, -, -, -, -, -, -, | | |
| | | | | |
| | | | *************************************** | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | , , , , , , , , , , , , , , , , , , , | |
| | | | | |
| EDICAL STAFF PRINTED NAME | | | | |
| CAL STAFF SIGNATURE | | DATE | TIME | |
| NANSPORTING OFFICER PRINTED NAME | | TRANSPORTING OFFICER CICHET | DE | |
| _ | | TRANSPORTING OFFICER SIGNATURE | nc | |
| ANSPORTING OFFICER PRINTED NAME | | TRANSPORTING OFFICER SIGNATUR | RE | |

MISSOURI DEPARTMENT OF CORRECTIONS INSTITUTIONAL SERVICES

POLICY AND PROCEDURE MANUAL

IS11-14.4

HIV Infected Offenders

Effective Date:

October 22, 2004

Ralf J. Salke

Senior Regional Vice President

Regional Medical Director

George A. Lombardi, Director Division of Adult Institutions

Randee Kaiser, Director

Division of Offender Rehabilitative

Services

- I. Purpose: This procedure has been developed to establish guidelines to comply with the CDC standards of care for assisting HIV infected offenders.
 - A. AUTHORITY: 191.659, 217.175, 217.320, RSMo, NCCHC Standards for Health Services in Prisons, 2003.
 - B. APPLICABILITY: All offenders and staff in a correctional center and institutional treatment center under the jurisdiction of the Division of Adult Institutions or Division of Offender Rehabilitative Services. Standard Operating Procedure specific to provision of health services procedures at the institution should be developed by the health services administrator in consultation with the medical director, other professional health providers, and the superintendent/designee.
 - C. SCOPE: Nothing in this procedure is intended to give a protected liberty interest to any offender. This procedure is intended to guide staff actions.

H. **DEFINITION:**

- A. **HIV Positive:** Infection with the human immunodeficiency virus.
- B. AIDS: Acquired Immune Deficiency Syndrome (AIDS): A medical condition caused by the Human Immunodeficiency Virus (HIV) which results in the destruction of the body's natural defenses against disease and is characterized by certain medical conditions as defined by the Center for Disease Control and Prevention (CDC) and American Medical Association (AMA).
- C. High Risk Behavior: An incident of behavior, which suggests the possibility of exposure to infection to include but not, limited to:
 - sexual contact that involves the exchanges of body fluids to which standard Я. precautions apply;
 - b. injection drug use:
 - possession of needles or syringes; C.

Effective Date:

- d. tattooing and piercing of a body part; and,
- e. involvement in an incident where one's blood is exposed to another person.

 The person exposed may be staff or offender.

HI. PROCEDURES:

- A. Written consent should be obtained from the offender prior to obtaining a blood sample for HIV testing, unless otherwise provided by state statute without the right of refusal.
- B. Offenders tested for HIV should have pre- and post-test counseling by nursing staff.
- C. Usual laboratory (test results that physicians interpret) determinations should be utilized to confirm the HIV positive status of a tested offender to reduce the incidence of false positive reports.
- D. Offenders who are HIV positive should not be segregated from general population offenders unless medically indicated or if they engage in high-risk behaviors.
- E. In accordance with the community standards of care, confidentiality regarding the HIV/AIDS status of an offender should be maintained within the control of the health services unit.
- F. Health care records should not be marked to distinguish the HIV status of the offender.
- G. Educational programs should be offered to the health care and correctional staff, as well as the offenders, regarding appropriate protection and other information regarding the disease. This may be in the form of written materials, videos, or through other related training courses.
- H. Also refer to IS11-14.6, HIV Testing for Offenders.

IV. ATTACHMENTS

None

V. REFERENCES:

- A. National Commission on Correctional Health Care: Standards for Health Services in Prisons, 2003, P-B-01 Infection Control Program essential; P-H-02 Confidentiality of Health Records and Information essential.
- B. CMS Infection Control Manual
- C. Missouri Department of Health Communicable Disease Manual
- D. IS11-14.6 HIV Testing for Offenders
- VI. HISTORY: This procedure was originally covered by IS11-14.4 HIV Infected Inmates Procedure located in the Missouri Department of Corrections Institutional Services Policy and Procedures Manual; Original Rule Effective: August 15, 1994.

A. Original Effective Date: August 15, 1994

B. Revised Effective Date: October 15, 1999

C. Revised Effective Date:

MISSOURI DEPARTMENT OF CORRECTIONS INSTITUTIONAL SERVICES POLICY AND PROCEDURE MANUAL

IS11-14.3

Communicable Disease

Isolation

Effective Date: October 22, 2004

Ralf J. Salke

Senior Regional Vice President

Regional Medical Director

George K. Lombardi, Director Division of Adult Institutions

Randele Kaiser, Director

Division of Offender Rehabilitative

Services

- I. Purpose: This procedure has been developed to ensure offenders with communicable diseases have health care needs met, while protecting other offenders and staff from infection.
 - AUTHORITY: 217.175, 217.320 RSMo, NCCHC Standards for Health Services in Prisons, A. 2003.
 - В. APPLICABILITY: All offenders and staff in a correctional center and institutional treatment center under the jurisdiction of the Division of Adult Institution or Division of Offender Rehabilitative Services. Standard Operating Procedure specific to provision of health services procedures at the institution should be developed by the health services administrator in consultation with the medical director, other professional health providers, and the superintendent/designee.
 - C. SCOPE: Nothing in this procedure is intended to give a protected liberty interest to any offender. This procedure is intended to guide staff actions.

II. **DEFINITION:**

A. Standard Precautions: A combination of the major features of universal precautions (designed to reduce the risk of transmission of bloodborne pathogens) and body secretion isolation (designed to reduce the transmission of pathogens from moist body substances), applied to all patients receiving care, regardless of diagnosis or presumed infection status.

PROCEDURES: III.

- Policies and procedures for isolation of communicable disease are outlined in the CMS Infection A. Control Manual and Missouri Department of Health Manual which guides the reporting, and recommendations for communicable disease treatment.
- Offenders requiring respiratory isolation should be housed in a room with negative airflow or Β. transferred to a facility that can provide required isolation.

| IS1 | 1-1 | 4.3 |
|-----|-----|-----|
|-----|-----|-----|

Communicable Disease Isolation

Page 2 of 2

Effective Date:

October 22, 2004

C. Standard precautions/universal blood and body fluid precautions outlined in the CMS Infection

Control Manual should be practiced by health care and correctional staff.

- D. Communicable disease isolation issues and/or problems should be discussed at the MAC meeting.
- E. Waste disposal should be handled as outlined in the CMS Infection Control Manual utilizing the contracted waste/biohazardous waste vendor.

IV. ATTACHMENTS

None

V. REFERENCES:

- A. National Commission on Correctional Health Care: Standards for Health Services in Prisons, 2003, P-B-01 Infection Control Program essential.
- B. CMS Infection Control Manual
- C. Missouri Department of Health Communicable Disease Manual
- VI. HISTORY: This procedure was originally covered by IS11-14.3 Communicable Disease Isolation Procedure located in the Missouri Department of Corrections Institutional Services Policy and Procedures Manual; Original Rule Effective: August 15, 1994.

A. Original Effective Date:

August 15, 1994

B. Revised Effective Date:

October 15, 1999

C. Revised Effective Date:

BOB HOLDEN

Governor

GARY B. KEMPKER

Director



2729 Plaza Drive P.O. Box 236 Jefferson City, Missouri 65102 Telephone: 573-751-2389

> Fax: 573-751-4099 TDD Available

State of Missouri **DEPARTMENT OF CORRECTIONS**

Ad Excelleum Conamur - "We Strive Towards Excellence"

OFFICE OF INSPECTOR GENERAL

Compliance Unit

Memorandum

DATE:

March 17, 2004

TO:

Institutional Services Policy and Procedure Manual Holders

FROM:

Sheila A. Scott, Administrative Analyst III

SUBJECT: IS11-14.2 Tuberculosis Control

Attached is the procedure covering IS11-14.2 Tuberculosis Control. The procedure has been revised significantly and should be reviewed in its entirety. Section III.F. should be closely reviewed because it now includes the use of force when offenders refuse to be tested. This change was made as a result of a recent change in state statute.

Please review this procedure and place appropriately in your manual.

SAS:vf

MISSOURI DEPARTMENT OF CORRECTIONS INSTITUTIONAL SERVICES POLICY AND PROCEDURE MANUAL

| τn | 4 | - | | | ~ |
|----|---|-----|-----|---|----|
| IS | п | - 1 | - 1 | 4 | ') |

Tuberculosis Control

Effective Date: April 19, 2004

Ralf I. Salke

Senior Regional Vice President

Élizabeth Conley, D.O.

(Regional Medical Director

George A. Lombardi, Director

Division of Adult Institutions

Randee Kaiser, Director

Division of Offender Rehabilitative Services

- I. Purpose: This procedure has been developed to provide guidelines to ensure methods of surveillance, assessment, and containment of tuberculosis (TB) among offenders and staff of correctional facilities.
 - A. AUTHORITY: 217.175, 217.320, 191.659, RSMo, NCCHC Standards for Health Services in Prisons, 2003.
 - B. APPLICABILITY: All offenders and staff in a correctional center and institutional treatment center under the jurisdiction of the Division of Adult Institution or Division of Offender Rehabilitative Services. Standard Operating Procedure specific to provision of health services procedures at the institution should be developed by the health services administrator in consultation with the medical director, other professional health providers, and the superintendent/designee.
 - C. SCOPE: Nothing in this procedure is intended to give a protected liberty interest to any offender. This procedure is intended to guide staff actions.

II. DEFINITION:

- A. Acid Fast Bacillus (AFB) Testing: A method of staining bacteria during laboratory testing which assists in identifying tuberculosis bacteria.
- B. Active Tuberculosis Disease: Tuberculosis infection as evidenced by presence of Mycobacterium Tuberculosis bacilli in sputum specimens or significant findings of tuberculosis on chest x-ray.
- C. Assessment: An evaluation of an offender for the purpose of tuberculosis surveillance and the process of making such and evaluation in determining a course of surveillance, containment, and/or treatment.
- D. Booster Test: Repeated tuberculin test done two 2 to four 4 weeks after the initial 0 millimeters test (negative).
- E. Close Contacts: Persons who sleep, live, work, or otherwise share air through a common ventilation system (6-8 hours contact per day for several weeks). This may be offenders or staff.

F. Containment: Process for ensuring that tuberculosis transmission does not occur through appropriate diagnostic services and monitoring of treatment compliance.

- G. **HIV:** Human Immunodeficiency Virus: The virus known to cause Acquired Immunodeficiency Disease Syndrome (AIDS).
- H. Immunocompromised: Individuals in whom the immune system response is weakened by immunosuppressive drugs, radiation, malnutrition, or by some disease process (e.g., cancer).
- I. Induration: A palpable area of hardened tissue in relation to skin testing.
- J. Infection Control Nurse: (TB Nurse/HIV/STD/etc): Health service staff nurse at the institution assigned by the health services administrator to assist with the responsibility of implementing and coordinating the institutional health service infection control processes.
- K. Insignificant Reaction: A skin test induration between 5 and 9 millimeters of a non-immunocompromised or no contact to active tuberculosis disease.
- L. MARS/Computerized Medical Record: Medical Accountability Record System; Computerized Medical Record for recording/documentation of patient information.
- M. Positive Reaction: A skin test induration of 10 mms or greater. If the individual is immunocompromised, has been a contact to active disease, or has a chest x-ray finding suggestive of previous tuberculosis infection, a skin test of 5-mms induration to 9-mms is significant. If the individual is HIV seropositive, a skin test of 1-mm to 4-mms induration and chest x-ray findings suggestive of tuberculosis infection is significant.
- N. Purified Protein Derivative (PPD): The substance used in the intradermal Mantoux method of skin testing.
- O. Regional Infection Control Nurse: The contracted professional staff member responsible for overseeing the implementation, process, and liaison of infection control for offender health services under department contract health service facilities, and to insure reporting requirements with the Department of Health, and regional reporting.
- P. Respiratory Isolation: An area with separate ventilation to the outside, negative pressure in relation to adjacent areas that should have a minimum of 6 air exchanges per hour.
- Q. Surveillance: Identification and reporting of all offenders and staff in the system/institution who are infected with tuberculosis.
- R. TB Nurse: The medical unit nurse assigned to monitor the tuberculosis program.
- S. Two Step TB Testing: The implanting of the second PPD test within a specified time period following the initial negative test performed at intake, Diagnostic Reception Centers.

III. PROCEDURES:

A. Surveillance:

1. Tuberculosis screening shall be performed on all offenders as outlined in the Missouri TB Control Manual from the Missouri Department of Health and documented in the medical records accountability system or on the Tuberculosis Screening form (Attachment A).

- 2. Exceptions would be those with documented significant PPD reactions measured in millimeters.
- Extreme allergic reactions are rare and are the result of sensitivity to the tuberculin-3. testing product.

В. Entrance/Intake Testing:

- 1. Each offender will be assessed for symptoms of tuberculosis upon arrival to reception and diagnostic facilities.
- 2. Offenders reporting previous positive reactions must be questioned by a nurse regarding when and where the test was performed and the status of preventative therapy.
 - a. The health care provider should be contacted to verify;
 - 1. the reaction in millimeters (mms),
 - 2. the status of preventative/treatment therapy, and
 - 3. the date and status of chest x-rays.
 - b. If treatment is verified the nurse should;
 - 1. obtain a chest x-ray following a physician's order,
 - 2. interview for presence of TB signs and symptoms to be documented in medical accountability record system,
 - 3. document the date, millimeter reactions (mms), and dates of treatment in the medical accountability record system TB testing record and problem list, and
 - 4. complete an Authorization for Release of Confidential Offender Treatment Information (Attachment B) signed by the offender to request treatment records.
 - c. If the reported treating health provider is unable to verify a previous positive millimeter reaction, the offender should be treated as though she/he has not had a previously positive PPD, to include entrance PPD testing.
 - d. If the reported treating health provider is able to verify a previous positive PPD reaction in millimeters, but completion of the prophylactic therapy cannot be verified, then following consultation with the responsible physician, the offender should be placed into the appropriate chronic care clinic and evaluated for prophylactic treatment.
 - The date and millimeter (mms) of the previously positive PPD reaction must be e. documented in the MARS TB testing record.
- A two step TB test (PPD) should be performed on all newly received offenders at a 3. diagnostic center within 2 working days.
 - A nurse will administer an intradermal injection of 0.1 ml of purified protein a. derivative (PPD) containing 5 tuberculin units in the dorsum of the arm.

April 19, 2004

- 1. The test must be repeated immediately in a different site (scapula area) if the initial implant is not correct.
- b. Maintain a record of the name of each offender who received a PPD to ensure timely reading of the PPD.
 - 1. The MARS system should be utilized for scheduling at the time of implanting the PPD.
 - 2. Each offender's PPD should be recorded on the appropriate form by the nurse to include a record of the manufacturer and lot number of the PPD solution.
 - 3. Document information utilizing medical accountability record system.
- c. A nurse will interpret PPD within 48-72 hours and document measurement in mms of induration in the medical record and on the TB log:
 - 1. do not record negative or positive, list only the millimeters,
 - 2. erythema may be noted but not measured,
 - if the offender has been released from incarceration prior to reading the PPD document the release in the medical accountability record system.
- d. If the result of the first test is positive, the offender is considered infected with *M. Tuberculosis*;
- e. If the first test is negative, a second test should be administered 7 days later.
- f. A positive reaction to the second test at initial intake testing is considered a boosted reaction and is not considered a skin-test conversion.
- g. If when reading the PPD the site appears to have been altered or manipulated by the offender (i.e., scratching, irritating, etc.) the offender may be retested on the scapula. An appropriate rationale will be documented in MARs following nursing consultation with the responsible physician.
- h. The TB Isolation Needs Worksheet (Attachment C) and corresponding MARS protocol must be completed for all offenders with a positive and insignificant PPD reaction.
- i. Offenders who have a negative, 0-millimeter reaction to the second test should be classified as uninfected.
- j. In persons who have had a negative, 0 millimeter skin test result, a positive reaction to a subsequent test (other than stated in B. 3. g.) is considered a skin test conversion and is likely to represent a new infection.
- k. The reception center health care staff should place copies of offender specific TB information not included in the hard copy medical record at the time of transfer in a separate envelope and send to the receiving institution marked to the attention of the health service administrator/infection control nurse.

4. All offenders shall receive educational handouts that explain tuberculosis and the testing procedures.

C. **Annual Testing:**

- 1. PPDs should be performed annually during the offender's birth month regardless of when the last PPD was done; or at any time deemed necessary by the medical authority.
 - Administer intradermal injection of 0.1 ml of purified protein derivative a. containing 5 tuberculin units in the dorsum of the arm. The test must be repeated immediately in a different site (opposite arm or scapula area) if the initial implant is not correct.
 - Maintain a record of the name of each offender who received a PPD to ensure b. timely reading of the TB test. The medical accountability record system should be used for scheduling at the time of planting the PPD. Each offender's PPD should be recorded on the appropriate form to include a record of the manufacturer and lot number of the PPD solution. Recording information utilizing MARS/computerized medical record.
 - When reading the TB test: If the site appears to have been altered or ¢. manipulated by the offender (i.e., scratching, irritating, et.) the offender may be re-tested on the scapula with appropriate rationale documented in MARS following nursing consultation with the responsible physician.
 - d. The TB Isolation Needs Worksheet and corresponding MARS protocol will be completed for all offenders with a positive and insignificant PPD reaction.
 - In persons who have had a negative 0-millimeter skin test result, a positive e. reaction to a subsequent test (other than stated in B. 3. f.) is considered a skin test conversion and is likely to represent a new infection.
- 2. At the time of testing offenders should be counseled by health care staff regarding the signs and symptoms of tuberculosis utilizing the Tuberculosis Screening form and offered educational handouts that explain tuberculosis and testing procedures.
- 3. PPDs should be performed on documented close contacts of those with active tuberculosis disease.
 - This testing should occur when active disease has been confirmed and again 90 a. days following confirmation.
- 4. All offenders known to be immunocompromised should receive PPD testing and a chest x-ray at the time of diagnosis and annually thereafter during the offender's birth month.
- 5. Offenders transferred to another institution should receive a PPD as part of the transfer receiving screening process if they have not been tested within the previous year as documented in the medical record.
- 6. Offenders who have been diagnosed with bronchitis or pneumonia and whose symptoms fail to respond promptly after being placed on antibiotics should receive PPD testing and sputum collection for AFB smear and culture.
- 7. All offenders shall be interviewed and evaluated utilizing the TB Isolation Needs

Worksheet.

Offenders who meet the set threshold shall be isolated until active TB can be a. ruled out.

D. Staff Education:

- 1. It will be the responsibility of the health services administrator/designee to ensure that all nursing staff has participated in training on PPD test administration and reading during their orientation, with additional training as deemed necessary.
 - This should be documented in the employee's file and reported to the regional infection control nurse.
- Nursing staff should be able to perform both tasks (administration and reading of PPD 2.
 - a. The director of nursing/designee should monitor staff competency at these tasks.

E. Assessment:

- 1. Offenders with significant reactions should be interviewed immediately by health care staff concerning signs and symptoms of tuberculosis.
 - The presence or absence of symptoms should be documented on the screening a. form.
 - Offenders with insignificant reactions of (5mm to 9mm) must be retested in one b. month unless she/he has other risk factors or falls within the following groups;
 - 1. close contact of persons with infectious tuberculosis; or
 - 2. is immunocompromised which in these cases, a reaction of 5mm to 9mm will be considered significant.
 - Offenders with symptoms of tuberculosis will be placed in respiratory isolation c. based upon their TB Isolation Needs Worksheet score.
 - 1. A chest x-ray should be performed within 48 hours of skin test reading or identification of symptoms.
 - 2. Offenders will use an N-95 mask during transport to a facility capable of respiratory isolation.
 - Transporting staff and the receiving institution should also be informed of the offender's TB status so necessary precautions are taken.
 - d. Symptomatic offenders should be placed on a medical hold at their current facility until follow-up testing is complete as provided in III.E. 1. b.
 - 1. The health services administrator/designee will notify classification regarding a need for a medical hold.

Effective Date:

April 19, 2004

2. The regional medical director and regional infection control nurse should be notified by pager or phone of all cases suspected or confirmed cases of active tuberculosis disease.

- Offenders with significant reactions should be interviewed immediately concerning signs and symptoms of tuberculosis.
 - The presence or absence of symptoms should be documented on the screening form.
 - b. HIV testing should be suggested, pre-test HIV counseling should be performed and an HIV anti-body test should be obtained.
 - c. Asymptomatic individuals with significant PPD reactions should have chest x-rays performed within 3 workdays.
- 3. All offenders with significant reactions and abnormal chest x-rays, or who are symptomatic should immediately be transferred to a facility for respiratory isolation.
 - a. Sputum evaluations initiated for possible tuberculosis to include AFB smears and culture.
 - b. All sputums should be obtained in a properly ventilated area; one specimen each morning, until 3 <u>adequate</u> specimens have been obtained.
 - c. All sputums should be obtained under the direct observation of a nurse to ensure specimen quality and/or quantity.
 - d. Sputums should be obtained using either a negative airflow room or sputum induction chamber.
 - e. If an offender is unable to produce quality sputum, a specimen may be induced through the use of a nebulizer treatment of D5W solution upon order by the responsible physician.
 - f. Sputum specimens for AFB smear and culture should be sent to the Missouri State Tuberculosis Laboratory in Mt. Vernon, Missouri.
- 4. If the x-rays and/or sputum specimens are reported negative, the responsible physician, following established protocol, should determine further action.
- 5. Offenders may only be released from respiratory isolation after approval by the regional infection control nurse or regional/associate medical director.

F. Refusals:

- 1. When an offender refuses to comply with communicable disease testing or health treatment, the nurse should obtain a Refusal of Treatment form (Attachment D), and notify the responsible physician.
 - a. The regional medical director and regional infection control nurse should be notified by pager or phone of all cases suspected or confirmed cases of active tuberculosis disease.

- Offenders should receive counseling regarding the testing and treatment. 2.
 - Offenders should be allowed to reconsider their choice of refusing testing or a. medications.

- Offenders should also be made aware of the consequences of continued refusal b. including the use of force.
- 3. Offenders should be provided with counseling by health care staff regarding the importance of PPD testing prior to signing the Refusal of Treatment form.
 - Documentation of the counseling will be entered into the computer Medical a. Accountability Record System.
 - Upon receipt of the signed refusal the physician, health services b. administrator/director of nursing, and infection control nurse, and regional medical director must be notified.
- Offenders will be given the Mantaoux Test "without the right of refusal" to comply with 4. testing.
 - The health services administrator/director of nursing should contact the a. appropriate security staff to assist with required PPD testing.
 - b. All PPD testing requiring the use of force shall be documented and reported on the infection control monthly report as a forced PPD.
 - IS20-3.1 Use of Force Guidelines and IS20-3.2 Use of Force Reporting will be c. followed.
 - d. PPD testing requiring the use of force should be implanted on the scapula to decrease the possibility of altering/manipulation of the PPD site. All tests shall be read and documented per protocol, C.1.
- 5. If prophylactic treatment is indicated, but refused by the offender, procedures in III. F. 4. will be followed.
 - The regional medical director/designee and regional infection control nurse a. will be notified by phone of any refusal of prophylactic treatment and or PPD testing Written documentation will follow.
 - The regional medical director/regional infection control nurse should be b. notified of offenders who refuse to have a chest x-ray while being evaluated for active TB disease.
 - 1. These offenders may be forcibly x-rayed, using only such force as is necessary in accordance with IS20-3.1 Use of Force Guidelines to obtain a posterior-anterior chest radiograph.
 - Only health staff shall perform the x-ray.
 - Offenders will be enrolled in the infectious disease chronic care clinic and monitored quarterly at a minimum.

- c. Offenders who do not comply with treatment for <u>active tuberculosis disease</u> must be transferred to a facility with an infirmary/transitional care unit appropriate for respiratory (AFB) isolation;
- d. Legal counsels of the health care contractor and department of corrections will be notified of an offender's failure to comply with active disease treatment so that a determination can be made as to whether any further legal action is indicated or necessary.
- e. Offenders who fail to comply with prophylactic treatment within one week should be counseled by the director of nursing/designee or facility health services infection control nurse.
 - 1. Documentation of the counseling and the offender's refusal should be placed in the offender's medical record.
- f. Offenders should be followed in the infectious disease chronic care clinic.

G. Case Reporting:

- 1. All completed tuberculosis screening forms which indicate tuberculosis infection should be reported to the regional medical director, regional infection control nurse, and the Missouri Department of Health utilizing the Tuberculin Testing Record form (Attachment E).
- 2. All offenders suspected of having active tuberculosis disease should immediately be reported to the regional medical director/designee.
- 3. All suspected or confirmed active diseases should be reported to the Missouri
 Department of Health using the Tuberculin Testing Record form and for confirmed
 active disease reported utilizing additional forms Disease Case Report form (Attachment
 F) and Tuberculosis History form (Attachment G) by the director of nursing or infection
 control nurse at the institution in which the offender is being isolated and to a member
 of the department's health services contract monitors.
 - a. The department's health services contract monitor shall notify the department's employee health coordinator.
 - b. A copy of the complete Tuberculosis Screening form should be sent to the regional medical director/designee and regional infection control nurse.
- 4. The Tuberculosis Infection Status form (Attachment H) should be sent to the institutional parole office notifying the staff of the offender's tuberculosis status.

H. Contact Investigation:

- 1. A list of close contacts should be obtained from the housing unit and work unit rosters and other sources as necessary.
 - a. The rosters consist of offenders and staff assigned or close contact through work assignment in same areas as the suspected active TB disease and cell mates, or associates that may not be identified in the above-listed groups.

- 2. Close contacts should receive baseline PPD testing, unless they have documented history of positive tuberculin test results recorded in millimeters, or have been tested within the last three months.
- 3. Close contacts should receive follow-up tuberculosis testing approximately 90 days after exposure.
- 4. All close contacts including those with previous positive results will be interviewed for signs and symptoms of tuberculosis and sign Annual Health Statement for Tuberculin Reactors - Offender (Attachment I) that symptoms have been reviewed or documented in the offender medical accountability record system by the health care staff.

I. Containment:

- 1. Offenders who are tuberculosis suspects should immediately be segregated until arrangements can be made for the offender to be placed in respiratory isolation at a designated infirmary/transitional care unit.
 - The offender should wear a N-95 particulate respirator until placement in a. respiratory isolation.
- 2. If the sputum smears are positive for acid fast bacilli, the offender should be considered as having infectious tuberculosis and should be placed in respiratory isolation at a designated infirmary/transitional care unit.
 - Treatment should be initiated as determined by the responsible physician per a. established protocol, and in consultation with the regional medical director as necessary.
 - b. No offender should be released from respiratory isolation prior to receipt of 3 negative sputum smears or culture confirmation that the offender does not have Mycobacterium tuberculosis disease.
 - The offender should remain in isolation until she/he provides 3 consecutive c. negative sputum smears and has been on appropriate therapy for a minimum of 2 weeks and has an improving chest radiograph and has an improving chest xray and demonstrates resolving symptoms.
 - d. Other treatment issues should be determined by the physician following established protocol, and in consultation with the regional medical director.
 - Each case needs be individually evaluated by the regional medical e. director/designee and regional infection control nurse prior to approval for release from respiratory isolation.
 - f. No special precautions are needed for handling the offender's dishes, books, laundry, bedding, or other personal items.
 - Any offender who is allowed outside isolation for any reason should be required g. to wear a N-95 particulate respirator.
- 3. All staff entering an AFB isolation room should wear a N-95 particulate respirator.

- a. All health care staff responsible for caring for the suspected infectious offender must have documentation retained on-site in the employee's file of successful fit-test for the mask worn.
- b. Persons with beards who cannot pass the fit test may need to be reassigned or shave their beards.
- 4. Prior to discharge from isolation, health staff shall complete the TB Isolation Needs Worksheet (Discharge Section).
 - a. Approval for release needs to be obtained from the regional infection control nurse or regional medical director/designee.
- 5. The following must be documented in the MARS medical file prior to discharge from isolation,
 - a. three (3) consecutive negative AFB cultures,
 - b. disappearance of cough,
 - c. weight gain if weight loss prior to isolation,
 - d. return of appetite,
 - e. afebrile/disappearance of fever, and
 - f. disappearance of night sweats.

J. Treatment:

- 1. All offenders with significant tuberculin reactions who do not have documentation of adequate treatment should be treated prophylactically regardless of age, unless there are medical contraindications.
- 2. All offenders with significant tuberculin reactions shall be enrolled and monitored in the infectious disease chronic care clinic for the duration of treatment.
 - a. All offenders with tuberculosis disease and/or infection should be given medication by directly observed therapy.
 - b. Prophylactic treatment should begin promptly once laboratory work and a chest x-ray are obtained and active disease has been ruled out.
 - c. Offenders on tuberculosis medications should be assessed by health care providers at least monthly for signs and symptoms of adverse reactions.
 - 1. This assessment should be documented in the offender medical record.
 - 2. Any offender with suspected side effects to medication should be referred to the responsible physician.
 - d. Monitoring for adverse reactions should include liver function tests as specified by treatment protocols.

- 1. These test results should be reviewed by a physician at each infectious disease follow-up.
- The responsible physician and regional infection control nurse shall review e. each case prior to early discontinuance of treatment.
- 3. Offenders should receive a minimum of one tuberculosis teaching session provided by health care staff.
 - a. The Preventative Therapy Treatment handout should be read to the offender to fulfill this requirement (Attachment J).
 - b. Documentation shall be made in the offender computer medical record by the health care staff or by signature of the offender to the education session in the hard copy offender medical record.
- 4. Offenders for whom prophylactic treatment is not given should be counseled by the health care staff concerning the signs and symptoms of tuberculosis infection and should be instructed to report the onset of any symptoms promptly.
 - These offenders should be monitored in the infectious disease chronic care a. clinic and should receive an annual physician evaluation.
 - 1. A chest x-ray should be completed whenever the offender complains of tuberculosis symptoms.
 - 2. Offenders receiving treatment should receive documented counseling every three months by nursing staff.
 - 3. Offenders for whom prophylactic treatment is not given should remain in a chronic care clinic for the duration of current or subsequent incarcerations.
 - b. Those offenders requiring a higher degree of medical monitoring should be housed at a designated facility with appropriate accommodations and trained staff.
 - 1. The offender medical score should be re-evaluated, if necessary.
- 5. The Missouri Department of Health and the institutional parole officer should be notified when offenders who are on tuberculosis medications are released from incarceration.
 - Discharge plans for offenders on tuberculosis medication should be cleared a. through medical staff to facilitate contact with the health department in the community to which the offender will be going.
 - b. A 30-day supply of medication shall be given to the offender to avoid a break in her/his TB prophylactic treatment from the time of release to the scheduled health department appointment for follow-up.
 - The nursing staff shall contact the appropriate health department office and c. schedule a follow-up appointment for the offender.

1. The appointment scheduled should be made at the health department location designated for the area of the offender's residence.

- d. The nursing staff shall notify the institutional parole officer in writing that the offender is on tuberculosis medication, the length of the treatment, and date of the follow-up appointment with the health department.
 - 1. A copy of the document shall be placed in the offender's hard copy medical record.

IV. ATTACHMENTS

| A. | 931-3660 | Tuberculosis Screening |
|----|----------|--|
| B. | 931-4197 | Authorization for Release of Confidential Offender Treatment |
| | | Information |
| C. | 931-3942 | TB Isolation Needs Worksheet |
| D. | 931-1832 | Refusal of Treatment |
| E. | 580-1589 | Tuberculin Testing Record |
| F. | 580-0779 | Disease Case Report |
| G. | 580-1144 | Tuberculosis History |
| H. | 931-4014 | Tuberculosis Infection Status |
| I. | 931-4196 | Annual Health Statement for Tuberculin Reactors - Offender |
| J. | 931-3813 | Preventative Therapy Treatment |


V. REFERENCES:

- A. National Commission on Correctional Health Care: Standards for Health Services in Prisons, 2003, P-B-01 Infection Control essential.
- B. CDC (Centers for Disease Control and Prevention) Morbidity/Mortality Weekly Report; June 7, 1996 "Prevention and Control of Tuberculosis in Correctional Facilities"
- C. Missouri Department of Health, Tuberculosis Control Manual. Diagnosis/Treatment
- D. CMS Infection Control Manual
- E. IS11-1.8 Referral for Outside
- F. IS11-14.6 HIV Testing for Offenders
- G. IS11-71 Right to Refuse Treatment
- H. IS20-3.1 Use of Force Guidelines
- I. IS20-3.2 Use of Force Reports
- J. IS21-1.1 Temporary Administrative Segregation Confinement
- VI. HISTORY: This procedure was originally covered by IS11-14.2, Refusal of Treatment located in the Missouri Department of Corrections Institutional Services Policy and Procedures Manual; Original Rule Effective: February 14, 1992

| A. | Original Effective Date: | February 14, 1992 |
|----|--------------------------|-------------------|
| B. | Revised Effective Date: | March 1, 1992 |
| C. | Revised Effective Date: | August 14, 1994 |
| D. | Revised Effective Date: | August 28, 1996 |
| E. | Revised Effective Date: | October 15, 1999 |
| F. | Revised Effective Date: | April 19, 2004 |

STATE OF MISSOURI DEPARTMENT OF CORRECTIONS TUBERCULOSIS SCREENING

|) Œ | | | | DOC NUMBER | | TEST CODE | |
|--|--|--------------------------------|---|--|---------------------------------------|--------------------------------------|--|
| INSTITUTION | | | | RACE | SEX | 800 | |
| AFRICAL LUCT | | | | | <u></u> | | |
| MEDICAL HIST ☐ Silicosis ☐ Immunosu | ppressant The | erapy 🗌 D | ositive TB Test iabetes | ☐ Sero Pos ☐ Gastrect | omy | ☐ Cancer | |
| If history of posi Last PPD result dates document | ts, if hx positi | it no documer ve PPD, are r | ntation to <u>confirmant</u> nm documented | n found, mark X b d? Has inmate re | y positive TB tes ceived follow up | st (Even if histor p? CXR/AFB res | y is questionable). sults? Past treatment |
| | | | | | | | |
| | | | | | | | (1737) |
| SKIN TEST | , | | TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT | Tosan ny | RESU | U T | |
| DATE GIVEN | GIVEN BY | | DATE READ | READ BY | 111230 | <i>7</i> 21 | |
| DATE GIVEN | GIVEN BY | | DATE READ | READ BY | RESU | JLT | |
| DATE GIVEN | GIVEN BY | | DATE READ | READ BY | RESU | | |
| be | een treated). gh (hangs on a weight loss | a long time) us | | d with sputum pro | | ☐ Spitting ☐ Night S | ia - Loss of appetite |
| CHEST X-RAY | | | | | | | ······ |
| DATE | | RESULT (CHECK C | DNE) ABNORMAL | | | | |
| X-RAY FINDINGS | | | | | | | |
| SPUTUMS | | | | | | 01117 | TIOP DEAL TO |
| • | | DATE | OBTAINED | SMEA | R RESULTS | CULI | URE RESULTS |
| First | | | | | | | |
| Second | | | | | | | |
| Third | | | ···· | | | | |
| Valid Smear Res 0 - (negati 1 - Positive 2 - Positive 3 - Positive 4 - Positive SMAC Drawn | ve) e (rare) e (few) e (many) e (numerous) | HIV Drav | vn | Valid Cultur Organism: Growth: O - Negativ 1 - 5 Range | e Result Codes re e of Positive | | |
| TREATMENT STARTED | (MM/DD/YR) | | | | | | |
| MEDICATION A | AID DUDATIO | NN. | | | | | |
| MEDICATION | RIF. | 714 | EMB | P2 | ZA | ОТНЕЯ | • |
| | VE NEV | V POSITIVE | CONVERTO | ря 🗆 сонт | ACT | ENTRANCE | ROUTINE |
| FORM COMPLETED BY | , | | | DATE HE/CD CC | ORDINATOR NOTIFIED | D/BY WHOM | |



AUTHORIZATION FOR RELEASE OF CONFIDENTIAL OFFENDER TREATMENT INFORMATION (FOR USE BY MEDICAL, MENTAL HEALTH AND SUBSTANCE ABUSE STAFF ONLY)

| | # | | | allow and as |
|--|---|---|--|--------------------------------|
| (OFFENDER NAME) | (De | OC NUMBER (DATE OF B | RTH) (SSN) | morr and ac |
| (INSTITUTION) | to relea | se my health records from service | | (DATE) |
| to to | | (PERSON, AGENCY, ORGANI | ZAZI/AND | |
| at | | (PERSON, AGENCT, ORGANI. | ZATION) | |
| | | (ADDRESS, CITY, STATE, ZIP) | | |
| THE PURPOSE OF THIS INFORMA | TION BELEASE IS: | THE SPECIFIC INFORMAT | ION TO BE DISCLOSED IS: | |
| | AFTERCARE | ☐ ALL MEDICAL RECORDS WITH | | |
| | TREATMENT PLANNING | ☐ ALL MENTAL HEALTH RECOF | RDS WITHIN THE SPECIFIED TIME FRAME | |
| OTHER, SPECIFY | | ALL MEDICAL AND MENTAL | HEALTH RECORDS WITHIN THE SPECIFIED | TIME FRAME |
| | | ПП ОТНЕМ: | | |
| THIS AUTHORIZATION TO RELEASE H | EALTH RECORDS IS SUB | JECT TO THE FOLLOWING LIM | TS: | |
| | | | | |
| MY SIGNATURE BELOW ACKNOWLED | GES THAT I HAVE BEAD | UNDERSTAND AND ALLOWTH | IS CONSENT FOR THE FOLLOWING. | - |
| | | | | |
| READ CAREFULLY: I understand the given to the agency or person listed signing this authorization without lin above. | above. Drug and alcohol | abuse information records are | this consent, I am allowing my health specifically protected by federal regul- information records to the agency or | ations and b |
| The release or transfer of information prohibited. I understand that this disclo | about my admission, condi sure could result in a third | ition or treatment with persons or party discovery. | agencies not listed above or by law and | d regulation i |
| This authorization includes both information above facility during the specified time | ation already collected and frame. | I information that would be collect | ed during the course of the offender's tre | eatment at the |
| his consent starts onbottom of the page. Any action taken b | (DATE) and can by this facility before the can | be cancelled by the undersigned a cellation will not be affected. | any time by completing the notice of cano | cellation at the |
| This consent to release health informat as valid as the original. | ion, unless cancelled earlie | r, will expire 90 days from the star | t date. A photographic copy of this au | thorization is |
| 6. I am allowing the release of information | regarding HIV/AIDS status | s. 🗌 YES 🗌 NO | | |
| The facility, its employees, contracted e health information that has been autho | mployees, officers, and corrized for release. | ntracted physicians are released f | rom legal responsibility or liability for the | release of the |
| 8. Special conditions, dates, events, that | would result in cancellation: | , | | |
| G. Lundaratand that I have the vight to rea | alian a annu af this authoris | | | |
| I understand that I have the right to rec | eive a copy of this authoriza | anon. | | |
| THE FOLLOWING APPLIES TO DRUG information has been disclosed to you form making further discloser of it wit regulations. A general authorization for | rom records whose confi hout the specific written | dentiality is protected by Feder consent of the person to who | ral law. Federal regulation (42 CFR 2) pom it pertains, or as otherwise speci- | nrohibits vou |
| OFFENDER SIGNATURE | WITNESS SIGNATURE | | PARENT/LEGAL GUARDIAN SIGNATURE | |
| DATE | DATE | | DATE | |
| | | | | |
| | NOTICE | E OF CANCELLATION | | |
| hereby cancel my authorization of this rele to the agency/person listed above. This can or treatment expressly given by the above | ncellation effectively makes | g null and void any permission for | release of information regarding admiss | fender Name) ion, condition |
| NDER SIGNATURE | WITNESS SIGNATURE | | PARENT/LEGAL GUARDIAN SIGNATURE | |
| DATE | DATE | | DATE | |
| O 931-4197 (1-04) | | | <u></u> | ·-··· |

| (於語別)(| DEPARTMENT OF CORRECTIONS |
|--------|------------------------------|
| | TB ISOLATION NEEDS WORKSHEET |

DOC NUMBER DOB

INMATE NAME

If a patient has 4 points with some points from the respiratory column, she/he is to be immediately placed in Respiratory Isolation. If a patient has 4 points with none from the respiratory column, she/he is to be placed in a single cell in the infirmary until further work-up.

If patient has 3 points, she/he is to get an immediate, Chest X-ray and be referred to physician for TB evaluation.

**Radiographic abnormalities that strongly suggest active TB include upper lobe infiltration, particularly if cavitation is seen, and patchy or nodular infiltrates in the apical or subapical posterior upper lobes or the superior segment of the lower lobe. If abnormalities are noted, or if the patient has symptoms suggestive of extrapulmonary TB, additional diagnostic tests should be conducted.

**Close Air Contact to Disease - Remember to consider those inmates coming from jails.


| ADMISSION TO ISOLATION | | | | 04.08 · s |
|--|-------|---|-------|-----------|
| RESPIRATORY SYMPTOMS | | OTHER SYMPTOMS | | |
| PPD Reading 10mms (Not Identified as Close Contact, or HIV Negative) | 1 PT. | 1. Normal CXR | 0 PT. | |
| PPD Reading 5mms (Close Air Contact to Disease**, or HIV Positive) | 1 PT. | 2. Fever | 1 PT. | |
| Abnormal CXR: Stable Calcified Granulomas | 1 PT. | 3. Night Sweats | 1 PT. | |
| 4. Abnormal CXR: Upper Lobe, Apical Infiltrates, etc.*** | 4 PT. | Significant Weight Loss (Unexplained) | 1 PT. | |
| Productive Cough > 3 wks (immediate CXR) | 3 PT. | Gastrectomy, Chemotherapy, 10% Underweight, Malabsorption Syndrome, Sarcoidosis, Diabetes, Long-term Immunosuppressive Therapy (> One Month or One Time High Dose) | 1 PT. | |
| Jloody Sputum | 4 PT. | 6. HIV Positive | 1 PT. | 44 |
| Nonproductive Cough | 2 PT. | 7. History of Drug Abuse | 1 PT. | |
| 8. Recent Exposure to TB Disease | 1 PT. | · | | |
| 9. Known Past PPD Positive | 1 PT. | | | |
| 10. On INH Prophylaxis Therapy | 1 PT. | | | |
| 11. On Anti-Tubercular Therapy Other Than INH | 2 PT. | TOTAL POINTS THIS COLUMN | | |
| TOTAL POINTS RESPIRATORY COLUMN | | TOTAL POINTS OTHER COLUMN | | ~~~ |
| STAFF SIGNATURE | D/ | TOTAL OF BOTH COLUMNS | | |

DISCHARGE FROM ISOLATION

If patient has 7 points, she/he may be discharged from isolation, provided an adequate written treatment plan is being followed.

***Each case of drug resistant TB needs to be evaluated on an individual basis in regards to when the individual is ready for release from isolation.

| | POINTS AVAILABLE | SCORE GIVEN |
|---|---------------------|----------------|
| 3 Consecutive Negative AFB Smears (On Adequate Sputum Specimens) | 2 points | |
| 2. Improvement of Symptoms (Without Being on Anti-TB Therapy Within 5 Days) | 2 points | |
| Improving and Noncavitary Chest X-Ray | 1 point | |
| 4. 2 of the following: | | |
| ☐ FEVER GONE ☐ NIGHT SWEATS GONE | 1 point | |
| GAINING WEIGHT OR WEIGHT STABLE | | |
| Improvement of Productive Cough to Nonproductive Cough | 1 point | |
| 6. No Cough | 2 points | |
| | 6 points | |
| IIV Negative | 1 point | |
| Normal CXR | 2 points | |
| 1u. Four Drug Therapy for 2-3 weeks | 1 point | |
| STAFF SIGNATURE DATE . | TOTAL POINTS | |



| INSTITUTION | |
|-------------|--|
| | |

| On this date, against medical advice, I am | refusing the t | following treatmer | ıf· | |
|---|---------------------|---------------------|-----------------------------|---------------------------|
| 1 Modine | | | | |
| | | | MUST COMPLETE | v |
| 2. Dental care/treatment | | | | |
| | ···· | | MICTORIA | · |
| This August | | | MUST COMPLETE | |
| This treatment was offered and made availa | ble to me by | the Department of | of Corrections/Corrections/ | 14. 11. 4.00 |
| My signature will verify that possible complice I hereby relieve the physicians, medical/dentarefusal of offered and available care/treatment | ations as a re | | | |
| | | | | |
| NMATE'S NAME (PRINT OR TYPE) | DOC NUM | BER INMATE'S SIGNA | ATURE | |
| | | | | DATE |
| VITNESS | DATE | | | |
| | DATE | WITNESS | | DATE |
| 931-1832 (8-96) | | | | |
| STATE OF MISSOURI DEPARTMENT OF CORRECTIONS REFUSAL OF TREATMENT | | | INSTITUTION | |
| this date, against medical advice to a con- | | | <u> </u> | |
| n this date, against medical advice, I am refu | sing the follow | wing treatment: | | • |
| Medical care/treatment | , | | | |
| | | MU | ST COMPLETE | |
| 2. Dental care/treatment | | | | |
| | | MUS | OT COMPLETE | |
| S treatment was offered and and an area | | | | |
| s treatment was offered and made available t | to me by the | Department of Co | prrections/Correctional Med | lical Services |
| Signature will verify that possible complication | | | | |
| signature will verify that possible complication reby relieve the physicians, medical/dental sta | aff and Done | or my refusal of s | such treatment have been f | ully explained to me |
| reby relieve the physicians, medical/dental states of offered and available care/treatment. | ⊶ ани <i>⊔</i> ераг | unent of Correction | ons of any and all responsi | bilities relative to this |
| - | | | · | |
| | | | | |
| T'S NAME (PRINT OR TYPE) | DOC NUMBER | INMATE'S SIGNATURI | | |
| | | - ANICE S SIGNALURI | - | DATE |
| SS | * | | | |
| | DATE | WITNESS | | |

| JOURI DEPARTMENT OF HEALTH | TUBERCULIN TESTING RECORD |
|--|---------------------------|
| ~ | ₩ |
| | |

| SOGIAL SECURITY NUMBER SOGIAL SECURITY NUMBER HISPANIC CLIENTYSIANDIC (PERSISTENT COUGH FOR MORE THAN 3 WE CLIENTY CORNEINT CLIENTYSIANDIC (PERSISTENT COUGH FOR MORE THAN 3 WE CLIENTYSIANDIC (PERSISTENT COUGH FOR MORE THAN 3 WE CLIENTYSIANDIC COMMENT) CLIENTYSIANDIC CLIENTYSIANDIAN SIGNATURE F. X-RAY REFERRAL CHENT SAND COMMENDATIONS CLIENTYSIANDIC CHENTY COUGH FOR THENAPY CHEST AND COUGH FOR THENAPY CHEST CHEST COMMENDATIONS CLIENTYPE OF TEST CHEST CHEST COMMENDATIONS CLIENTYSIANDIAN REPOSITIVE CHEST CHEST COUGH THENAPY CHEST CO | AALE |
|--|--|
| SOCIAL SECURITY NUMBER AM/DD/YR) SEX D MALE D FEMALE HISPANIC HISPANIC TYPE OF TEST TYPE OF TEST RESULTS IN mm RESULTS IN mm | FPHONE SOCIAL SECURITY NUMBER OR ALASKAN NATIVE OR ALASKAN NATIVE |
| SOGIAL SECURITY NUI AM/DD/YR) SEX G MALE HISPANIC CHIGIN HISPANIC CHIGIN HISPANIC TYPE O TYPE O TYPE O TYPE O RESULT | EPHONE SOCIAL SECURITY NUI DATE OF BIRTH (MM/DD/YR) SACIFIC ISLANDER IF YES WHEN (MO/DAY/YR) TYPE O BATE READ (MO/DAY/YR) RESULT RESULT RESULT RESULT RESULT |
| | CA ALASKAI AOFIC ISLAI WINTOU DATE READ |

| PREVENTIVE ZATMENT MONITORING | CONTINUATION | |
|--|--|-------------------------|
| PATIENT'S NAME | DOB Note: 6 months preventive treatment is recommended for all infected persons except for HIV positive Individuals (12 months) and children (9 months). | |
| DATE OF CLINIC VISIT/DRUG PICKUP | | |
| DATE OF NEXT VISIT | | |
| | | |
| INH mg Ax# | | |
| (Other) mg Rx# | | |
| Vitamin B6mg Rx# | | |
| | | |
| Liver Enzyme Collected (Y or N) | | 3T/ |
| | VΞV | 3T. |
| Allergies (Y or N) | ΛT, | |
| | ¥∃£ | |
| ADVERSE EFFECTS: (Y or N) | | =- |
| Fatigue, Weakness | JED. | |
| Fever, Chills | NOV | NO. |
| Loss of Appetite | J4V | . '1' |
| Nausea | 100 | SO: |
| Vomiting |) [| |
| Jaundice |]_ | |
| Dark Brown Urine | 3W1 | |
| Rash, Ilching | V = 1 | |
| Joint Pain | 31 | |
| Other Symptoms | | |
| A CONTRACT AND A CONT | | :(, |
| TAKING ANY OTHER DRUGS:? (List) | | CIF |
| | | bE(|
| | | S) (|
| | | SNC |
| | | DIT. |
| COMMENTS: | | OA: |
| | | 38 |
| | | 381 |
| | EVE | JE VEF |
| | ٨/٨١ | RUT |
| (For additional comments, please use "Continuation" | √ (] / (| .YN |
| section or Progress Notes - N-3A) | 1TP+ 0 | E T |
| <i>ω (</i> | | CIEY): |
| · C.H.N. SIGNATURE | сомы | 392) <i>1</i> 89 38. |
| - ⊃ α w | 7 | ► EALTH CA |
| MO 580-1589 (9-95). | | |

| MICHOE HOE HOE | CASE R | EPORT | | | 1 DATE OF | REPORT | , | 2 DATE RE | CEIVE | BY LOCAL | HEALT | 'H AGE |
|--|---|--|--|-------------------------------|--|---------------------------------------|--|---|--|--|--|----------------|
| 3 NAME (LAST, FIRST, M.L.) | | <u> </u> | | | 4 GENDER | / | 5 DATE OF | BIFTH . | 8 AGI | _/ [7Hi\$i | _ / PANIC | |
| | ····· | | | | ☐ MALE | Ē | /_ | _/ | | □ YE | | UNKN |
| B RACE (CHECK ALL THAT APPLY) BLACK BLACK BRACE (CHECK ALL THAT APPLY) | | ☐ PACIFIC ISLA | 9 PATIE | T'8 COUNTA | | | · | | 1 | | EASSI | |
| ☐ WHITE ☐ AMERICAN 11 ADDRESS (STREET OR RFO, CR | NAKONI P V. STATE, ZIP C | UNKNOWN | | | 1 an (10) have | . OF THOU | | | | | / | _/_ |
| | , | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | 12 COUNT | r of Resid | DENCE | | | 13 TEL | ÆPHON 、 | E NU |
| 14 PREGNANT YES (IF YES NUMBER OF WEEK | 15 | PARENT OR GUARD | IAN | | 16 RECENT | TRAVEL C | OUTSIDE OF | MISSOURI OI | RUSA | 17 DAT |) "E OF B | ETURI |
| LIND LIUNKNOWN | ·s | | | | IF YES, WH | NO | | | | | / | / |
| 18 OCCUPATION | | 18 SCHOOL/DAY | CAREWORKPLA | CE | | <i>F</i> | DORESS (ST | REET OR RE | o, çir | Y, STATE, Z | P CODE | () |
| 20 WORK TELEPHONE NUMBER | 21 OTHER AS | SOCIATED CASES | Пуев П | un Flasius | Didle on Tim | 5.05.00 | | | | | | |
| () | | ART OF AN OUTBRE | YES O | 40 □UNKN | IOWN H FO | DBOANE | LAINT/OUTE | ireak Aterboane | | | | |
| 23 WAS PATIENT HOSPITALIZED : | 24 PATIENT R | ESIDE IN NURSING I | IOME 25 PATIE | VT DIED OF T | HIS ILLNESS | 26 CHECK | (BELOW IF P | ATTENT OR | T | PATIENT | SIL! | D ME |
| ☐ YES ☐ NO ☐ UNKNOWN | 1 | AO 🗆 NAKAOMA | 1 | □ю□€ | | MEMB | ER OF PATIE! EHOLD (HHLE | atr | YES | , | | NO NO |
| TO NAME OF HOSPITAL/NURSING H | OME | | | | | | | | | | | 1 |
| 28 HOSPITAUNURSING HOME ADDR | DESC /STOCKE | אם הכת ביים | 7/0 (%) | | | ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ | HANDLER | | | | | <u>L</u> _ |
| O LIGHT THE RUNCHUR DATE TO CO. T. |) اخطا القال فجعد | יה אניט, 1117, STATE | , ZIP COUE) | | | ATTENDS | OR WORKS | AT A CHILD | | | | |
| 29 REPORTER NAME | | | 30 TELEPHON | E NUMBER | | OU VDUC! | UAT UARE ! | CIXIEH | - | | | ļ |
| | | | () | | | IŞ A HEAL | TH CARE WO | 4xE4 | | | | |
| H REPORTER ADDRESS (STREET C | OR RFD, CITY, S | TATE, ZIP CODE) | | 32 TYPE | OF REPORTE | PVSUBMIT | EA _ | | ــــــــــــــــــــــــــــــــــــــ | L | | <u> </u> |
| | | | | LI HOS | SICIAN 🖺 O | BORATOR | Y 🗆 | PUBLIC HEA SCHOOL | итна Поті | JNIC HER | | |
| G ATTENDING PHYSICIAN/CLINIC N | AME | | ADDRESS | (STREET OR | RFO, CITY, ST | ATE, ZIP O | | • | | 4 TELEPHO | NE NUI | ивел |
| S DISEASE NAME(S) | 38.0 | INSET DATE(S) | J7 DIAGNOSIS | DATE(E) I | B DISEASE S | 105/ 60 | man Koko | | (|) | | |
| | | l l · | J. DIAGROSIS | . , , | RISK FACTOR | AGE 38 | PREVIOUS | DISEASE/STA | .GE 4 | o PREVIOUX | S DIŞEA: | SE DA |
| | - | / | ' | -' | | | • | | | / | / | |
| | | | / | -/ | | | | | | / | / | |
| ENTONES SERVICES SERV | L Pasee W | EKTYPE PROTECTION | TONDATE CE VO | METATIVE ALL | | e Enland | CHARGO | CABORATO, | | e a Domes | | |
| 44-14-12-16-17-18-18-18-18-18-18-18-18-18-18-18-18-18- | INTERNATIONAL SERVING | anneanagaint (acmere) | AND MAKES SHAPE AND A SHAPE AN | WAYE OF SHE | or promitted and | House Continue | SUMMOLUM | A LEICEN COR | RGDEC | IN STATE | ZPCO | 户談 |
| | | | | · | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | ******* |
| | | , | | | | | | | | | ******* | ··· |
| | ****** | | | <u>.</u> | | | | | ······································ | | | |
| | | | | | | | | | | | | |
| | | ļ | - | | | | | | | | | |
| ATED TREASON NOT SELECT | EUP THEATHE | MT E R III. DH | 词图片图 | | EATNETTO | TE TREAT | HENTLUMINATION | | | | NEVXV4 | LOC |
| | Jest Hell Hillsen en in sen | acare con living place was a serial | William Control of the Control of th | 4504945000 | MANANAKAR | COS DIEDE | OH CAY PROPERTY. | CINTERPOLITY OF | | The second of | ar en ca | I CHI |
| | | | | | | | | | | | | |
| | | | - | - | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 1 | | (Chiczowyzaliwychina lewin | NATIONAL CONTRACTOR AND ADMINISTRA | TO 1 125 12 | Santa de la companya | | a rita kika | Said to the little | enersia sanci | ar name |
| 7271U-2011 MANISHINATHUMAH771111 HANISHI - CUMBAY | NACHAZIAN METERODOK MANES | CONCERNING CONTRACTOR OF THE DESIGNATION OF THE PROPERTY OF TH | | D. H. S. Salle S. S. Land | | 31 | METON:ON | ELD OE: | | AVMETO | OURAT | HON |
| STATION IN PERCY | ABLE 14 V | | EYMPTOM SITE | THE PROPERTY OF THE PERSON OF | The state of the s | | | | للكث للطالب | | THE LOCAL PROPERTY OF THE PARTY | 1.35 |
| ALL STREET STREET | E PARTE DE LA COMPANION DE LA | | EYMETOK SITE | HAPPLICAE Christman | | i De Vi Gienskije Mi | Hill Pharman Ire | an a mainte de la comunicación de | | | | |
| STREET WATER | | | EVAPTOM SITE | HARRICAE HERATINE | | De tropped (14) | 111701111111111111111111111111111111111 | | ļ | | | |
| STM/TOM/U-XFFEE | | | e/werckere | | | | | | | | | |
| THE CHARLES | ADLE COMME | | eymercin erre | ETANNICAE | | | 200 VIII - VI | | | | | |
| ALLE STATE OF THE | | | EVAL CAR STE | E ASHLICAE | | 2ct fantidfs | 200 | | | | | |
| | | | EVALUE OF STATE | HANNICAE DEZILISSANI | | | | | | | | |
| COMMENTS | | | EVALUE STE | HARPICA HERELESSAN | | | | | | | | |
| | | | EVALUE GITE | HARPICA HEREL BEST | | | | | | | | - |

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES SECTION OF COMMUNICABLE DISEASE PREVENTION

ATTACHMENT G

PAGE 1

P.O. BOX 570 JEFFERSON CITY, MISSOURI 65102

TUBERCULOSIS HISTORY

| CASE NAME . | YEAR REPORTED |
|---|---|
| OUNTY | TELEPHONE |
| | WORK HOME |
| IF FOREIGN BORN: Country of Origin | Month-Year Arrived in U.S.: |
| 1. CURRENT Tuberculosis Diagnosis (Check Appropriately): | |
| a. Site of Disease: Pulmonary Extrapulmonary | Specify |
| b. Mantoux PPD: Date: mm | induration: |
| c. Initial Chest X-ray: Date: | □ Normal □ Abnormal |
| d. Initial Bacteriology: Date: Smear: | Jnk |
| e. Initial Drug Regimen Prescribed: Date; Names of Drugs: | |
| 2. PREVIOUS History of Tuberculosis Infection: (If no previou | s history, go to #3 on the reverse side.) |
| a. Patient Had A Previous Tuberculin Skin Test: ☐ Yes ☐ No ☐ Unk (If no or unknown, or un | go to #3 on the reverse side.) |
| b. Previous Tuberculin Skin Test Reaction: Date: mm induration: Result Obtained From: Patient Medical Reco | ord Mantoux Multiple Puncture Unk |
| NAME | TELEPHONE |
| d. Reason for Tuberculin Skin Test: Contact E Other (Specify) | Employment |
| e. Chest X-ray: Date: Result. If Abnormal, then: | |
| f. Preventive Treatment Ordered? | |
| g. If No, Why Not? Not Prescribed Prescribed, But Not Ta Adverse Reaction Patient Declined | ken |
| h. If Yes, Number of Months Completed: Name of Drugs Prescribed: INH Rif EMB | Other (Specify) |
| i. Risk Factor for Being Placed on Preventive Therapy: Contact Converter Healed I Special Medical Indications Infected | |
| j. If Less Than 12 Months Treatment, Why? Moved, Unlocatable Against Medical Advice Other (Include Reason) | |

| k. | Name | of Phy | sician | or Facilit | y Who | Provid | ed Follo | w-up or | Trea | lment: | | | | | | | | |
|--|---|--|--|--|--|-------------------------|--|------------|----------|---------|-----|-------------|-----------------|---------------------|--------|-----------|-------------|-------------|
| NA | AME | | | | | | | | | | | | | ···· | | | | |
| If s | so, India | | | iown Exp Source C | | | Case? | Date o | f Diag | nosis: | | Yes | | No | | Unk | | |
| NA | AME | | | : | | | | | | | | | | | DATE | | | |
| 4. Do | es the I | Patient | Have a | History | of or is | Curre | ntly: | | | | | | | | | Yes | No | Un |
| b. (c. 1 d. 9 e. 1 f. N g. 1 h. 1 | Cognat Unable Sufferir Excessi Von-inje Injectin Homele | ive Disa to Reading from ve Alco ecting Drug ss With | abilitie d or Ui a Psy hol Us Drug U Use W iin Pas | s? nderstand chiatric C se Within se Withir /ithin Pas t Year? | Instruction Instru | on Req ear? 'ear? | ? uiring Tr | reatmen | it? | | | | | | • | | | |
| | fyes, | | | | | Local Ja | | | | Other | | | | | | | | |
| | 2 | 2 🗌 Stat | e Prisor | , | 4 🗆 | Juvenile Correct | e ional Facili | ty | 9 [|] Unkno |)wn | | | | | | | |
| j. Re | esident | of Long | 3-Tern | Care Fa | cility a | t Time | of Diagn | osis? | | | | | | <i>.</i> | | П | П | П |
| | 3 | Hos | pital-Ba dential | sed Facility | | 5 🗌 | Mental He | r Drug Tre | | | | | | Other Lo Jiknowi | | m Care I | Facility | |
| 5. O cc | 1 | Hea. | lth Care | | | 3 🗌 K | st 24 mo Migratory A Other Occup | gricultura | ıl Worke | er | | | Not Er Unkno | nployed wn | within | Past 24 i | Months | |
| i. HIV | 1 🔲 | Negative Positive Indeterm | | 3 | Offered | |) [] Unkno | owa If | Posit | | | | | tNo. L | | | |) |
| f Positi | | | • | | | | Patient | History | 9 🗀 | | | | | | | | | |
| | | | | | | | | | | | | | | | | f | | |
| ······································ | ······································ | · | | | | | | | | | | | | | | | | |
| HERTION | | | | | | | | | | | | | | | • | | | |
| | NAIRE CO | MPLETE | | | | | | | | | | | | | | DATE | | |
| DORESS | | | | | | | | | | | | | | TELEF | HONE | <u> </u> | | |
| R | ETURI | V TO | > | BUREA P.O. BO | U OF TI X 570 | UBERC | ENT OF H ULOSIS (SSOURI 6 | CONTRO | | | | | | 1 | | | | |
| OFFI | CE US | E ONI | Υ► | CASE NO. | | | | | SE ALLO | | | | | | | E IN MO. | | |
| 580-1144 (| | | | | | | | JU | YES | | NO | | | | ES | | 40 | |

ATTACHMENT H

| \ |
|---|
| 2 Catagoria |
| |
| A PARTY AND THE |
| 11.17.42.27.11.1 |
| 11 14 15 14 11 1 |
| 1 (Mariana) |
| ∀ >=>y |
| |
| / |
| |

STATE OF MISSOURI DEPARTMENT OF CORRECTIONS TUBERCULOSIS INFECTION STATUS

INSTITUTION

| - | | |
|---|---|---|
| - | | |
| | • | 3 |
| | | ı |
| , | | |
| | | |

INSTITUTIONAL PAROLE OFFICE

FROM

INFECTION CONTROL NURSE

SUBJECT

TUBERCULOSIS INFECTION STATUS

INMATE NAME

DOC NUMBER

The above named inmate has recently been tested for tuberculosis and his/her test has been read as reactive or "positive". This is indicative that the inmate has been exposed to tuberculosis bacillus and at this time is considered infected.

We are in the process of diagnostic testing which will assist us in determining whether this inmate should be considered "contagious". Some portions of the workup could take six to eight weeks before completion. If not previously treated for tuberculosis infection, most infected individuals will be treated prophylactically with antibiotics for six to twelve months to prevent contracting active "contagious" disease.

Please check with Medical Unit prior to the release of this inmate so that a final determination can be made regarding a need for continued monitoring and/or treatment by the Department of Health.

Thank you for your assistance in ensuring continuity of care for this inmate upon his/her release.

MEDICAL STAFF SIGNATURE

DATE

MO 931-4014 (9-96)

DISTRIBUTION: WHITE - INMATE MEDICAL FILE CANARY - INSTITUTIONAL PAROLE OFFICER



STATE OF MISSOURI DEPARTMENT OF CORRECTIONS **TUBERCULOSIS INFECTION STATUS**

INSTITUTION

TO

INSTITUTIONAL PAROLE OFFICE

FROM

INFECTION CONTROL NURSE

SUBJECT

TUBERCULOSIS INFECTION STATUS

INMATE NAME

OOC NUMBER

The above named inmate has recently been tested for tuberculosis and his/her test has been read as reactive or "positive". This is indicative that the inmate has been exposed to tuberculosis bacillus and at this time is considered infected.


We are in the process of diagnostic testing which will assist us in determining whether this inmate should be considered "contagious". Some portions of the workup could take six to eight weeks before completion. If not previously treated for tuberculosis infection, most infected individuals will be treated prophylactically with antibiotics for six to twelve months to prevent contracting active "contagious" disease.

Please check with Medical Unit prior to the release of this inmate so that a final determination can be made regarding a need for continued monitoring and/or treatment by the Department of Health.

ink you for your assistance in ensuring continuity of care for this inmate upon his/her release.

MEDICAL STAFF SIGNATURE

DATE



| | OFFENDER NAME | | |
|--|-------------------------|--------------------------|---|
| | DOC NUMBER | | |
| | RACE | GENDER | DOB |
| This statement is to determine that I DO NOT have symptoms | consistent with pulmona | ry tuberculosis such as: | |
| night sweats (waking up from sleep drenched in sweat unexplained fever (fever for several weeks, unrelated chronic cough lasting longer than three weeks smoker's cough that has changed coughing up blood feeling tired all the time and/or being really weak unexplained weight loss | | | NOT O O O O O O O O O O O O |
| f none of these symptoms are present, a chest x-ray is not nec | essary. | | |
| AVE YOU HAD RECENT CONTACT WITH SOMEONE WITH CONTAGIOUS TUBERCULOSIS | 5? | | |
| FENDER SIGNATURE | | | DATE |
| AFF SIGNATURE | | | DATE |
| 931-4196 (8-99) | | | |

| | STATE OF MISSOURI |
|----|---|
| 層散 | STATE OF MISSOURI DEPARTMENT OF CORRECTIONS |
| | |

| | OFFENDER NAME | *************************************** | |
|---|-----------------------------|---|------|
| | DOC NUMBER | | |
| | RACE | GENDER | DOB |
| This statement is to determine that I DO NOT have symptometric statement is to determine that I DO NOT have symptometric statement in the statement is to determine that I DO NOT have symptometric statement in the statement is to determine that I DO NOT have symptometric statement in the statement is to determine that I DO NOT have symptometric statement in the statement in the statement is to determine that I DO NOT have symptometric statement in the statement | oms consistent with pulmona | ary tuberculosis such as: | |
| night sweats (waking up from sleep drenched in sunexplained fever (fever for several weeks, unrelated chronic cough lasting longer than three weeks smoker's cough that has changed coughing up blood feeling tired all the time and/or being really weak unexplained weight loss | | | NOT |
| If none of these symptoms are present, a chest x-ray is not | necessary. | | |
| HAVE YOU HAD RECENT CONTACT WITH SOMEONE WITH CONTAGIOUS TUBERCU YES NO UNKNOWN | LOSIS? | | |
| C JER SIGNATURE | | | DATE |
| STAFF SIGNATURE | | | DATE |

Inadequate or interrupted treatment for tuberculosis (TB) can lead to drug-resistant TB and transmission of infection. Therefore, after effective medications have begun, it is of utmost importance that the medication be taken until completion of therapy. Due to the frequent transfer of inmates between institutions, prompt action must be taken to assure drug therapy does not lapse for any reason.

Preventative therapy reduces the risk of developing TB in infected persons. Certain groups within the infected population are at greater risk of developing TB than others. Persons in these groups should be treated regardless of age. The current preventative therapy is 6-12 months of daily or twice weekly antibiotics, usually **Isoniazid** (INH). It is given under observation to guarantee compliance. Initial blood tests are done as a precautionary measure, and repeated routinely at 1 and 3 months. The skin test will always be positive, which indicates past infection.

Individuals on isoniazid should be aware of the following RARE adverse reactions:

- 1. Numbness or tingling of the hands or feet;
- 2. Symptoms of liver damage: Loss of appetite, nausea, vomiting, persistent dark urine, yellow skin, extreme tiredness, unexplained elevated temperature for 3 days.

If you develop the above symptoms while you are taking Isoniazid, report them immediately to the medical unit. Your blood may be checked to determine if it is the medication which is causing the symptoms and not some other condition, such as the flu. **DO NOT STOP TAKING THE MEDICATION UNTIL YOU ARE SEEN BY THE MEDICAL UNIT AND/OR INSTRUCTED TO DO SO.**

It is not uncommon to experience an upset stomach after taking Isoniazid on an empty stomach. If this occurs, eat before taking the medication.

NOTES:

- A. 3 million people die annually from TB.
- B. Individuals who skin test "positive" have a 10% risk of developing active TB.
- C. There is no way to determine who will develop TB.
- D. A highly effective treatment (cure) is available Isoniazid (INH).

If you have any questions about TB or your medication to prevent TB, please do not hesitate to ask the medical staff.

| | į |
|--|---------|
| | WITNESS |
| | |
| | |
| | |
| | |

| INSTITUT | RTMENT OF CORRECT FIONAL SERVICES PROCEDURE MANUA | L | ****** | k sk s |
|---|---|---------|---------|--------|
| IS11-15 Environmental Health and Safety | Effective Date: | January | 23, 200 | 5 |
| RHASIKE | 16 (Ju) | Carly | 1001 | |

Ralf J. Salké

Vice President of Operations

Terry Moore Director Division of Adult Institutions Elizabeth Conley, D.O. Regional Medical Director

Randee Kaiser, Director

Division of Offender Rehabilitative

Services

- Ĭ. This procedure has been developed to ensure a safe and sanitary environment for the institutions is maintained.
 - A. **AUTHORITY:** 217.175, 217.320 RSMo, NCCHC Standards for Health Services in Prisons, 2003.
 - В. APPLICABILITY: All offenders and staff in a correctional center and institutional treatment center under the jurisdiction of the Division of Adult Institution or Division of Offender Rehabilitative Services. Standard Operating Procedure specific to provision of health services procedures at the institution should be developed by the health services administrator in consultation with the medical director, other professional health providers, and the superintendent/designee.
 - C. SCOPE: Nothing in this procedure is intended to give a protected liberty interest to any offender. This procedure is intended to guide staff actions.

II. **DEFINITION:**

None

III. PROCEDURES:

- A. The health services administrator/designee should inspect the safety and sanitation of the health service areas on a monthly basis and document findings on the Safety Inspection Checklist (Attachment A).
- B. Housing:
 - 1. Each offender should be furnished with a single bed, clean mattress, pillow and case, sheets, blanket, and a locker or cabinet for the safe and orderly storage of personal property; adequate lighting and noise containment. Offender will be referred to appropriate procedure, IS22-1.1 Offender Authorized Personal Property.

Effective Date:

January 23, 2006

- 2. There should be sufficient hand-washing sinks, soap, drinking fountains, showers, toilets, and accessible, with adequate water pressure which are clean and in good repair.
- 3. Hot water for showers should be thermostatically controlled at temperatures between 100 and 120 degrees.

C. Laundry:

- 1. Laundry services, should assure the availability of a sufficient supply of clean linen and clothing.
- 2. Each offender should be provided with a daily change of underwear and at least three clean changes of clothing, one clean change of bed linen, and three personal towels per week.
- 3. Laundry of infectious or parasite-infected material will be handled using standard precautions and appropriately bagged, labeled and processed.

D. Housekeeping:

- The housekeeping program should identify what has to be cleaned, at what frequency, by whom, how it is to be cleaned, and who evaluated the cleaning effectiveness and with what frequency.
- 2. Sufficient and appropriate cleaning equipment and supplies, including water-soluble cleaning compounds, should be available for the housekeeping program.
- Refuse, including hazardous waste, should be handled, stored, and disposed of in a safe and sanitary manner consistent with local, state, federal regulations and in accordance with D4-2.10 Hazardous Waste Handling and Storage and IS11-15.1 Disposal of Regulated Waste.

E. Pest Control:

- 1. A pest control program should control the insect and rodent population.
- 2. The pest control program should be in compliance with federal and state laws and in accordance with IS4-1.3, Vermin and Rodent Control.

F. Risk Exposures:

- 1. There should be a sufficient number of electrical outlets within the health care treatment work areas for the operation of equipment and appliances so that extension cords are used minimally in accordance with D4-2.1.A05, Electrical Equipment Wires and Other Components and D4-2.1. A07, Extension Cords.
- 2. Fire retardation equipment (e.g., chemical tanks, fire hoses, air packs) should be kept in working order, and regular inspections of this equipment in accordance with D4-2.1 Safety Standards.
- 3. Barber and beauty shops should be operated in conformance with applicable laws, rules, and regulations.

Effective Date: January 23, 2006

- 4. Work areas sharing a common passage with sensitive service areas (e.g., dietary, commissary, laundry, health services) should have self-closing doors that are kept closed when not in use.
- 5. Personal protective equipment (e.g., gloves, gowns, lab coats, face shields) should be available to all staff and offenders who potentially may be exposed to infectious, parasitic, or hazardous materials or objects.

G. Equipment Inspections:

- 1. Regular inspections and servicing, consistent with manufacturer specifications and state regulations, should be undertaken for all heavy equipment (e.g., utilities, water supply, sewers) to assure that all systems continue to function properly.
- 2. Facility ventilation systems, especially any negative pressure areas for the control of infectious disease, should be monitored regularly for air quality.

H. Safety:

- 1. All offenders and staff are entitled to a safe and sanitary environment.
- 2. Measures to ensure the safety of all who live, work, or visit within the facility should be undertaken as needed.
- I. The health services administrator/designee should participate in the institutional monthly safety inspection rounds, at minimum related to:
 - 1. offender housing areas,
 - 2. laundry, housekeeping practices,
 - 3. pest control measures,
 - 4. risk exposure containment measures,
 - 5. equipment inspection and maintenance reports, and
 - 6. occupational and environment safety inspection reports/attend facility monthly safety meetings.
- J. The site medical director should review institutional safety and food service inspection reports.
 - 1. These reports should be reviewed during the medical audit committee meeting when health care issues or actions are needed to correct deficiencies.
- K. The superintendent/designee should complete the Medical Unit Monthly Checklist (Attachment B).
 - The health services administrator will review and implement corrective action that may be indicated.

IV. ATTACHMENTS

- A. 931-3814 Safety Inspection Checklist
- B. 931-3858 Medical Unit Monthly Checklist

Effective Date:

January 23, 2006

V. REFERENCES:

- A. National Commission on Correctional Health Care: Standards for Health Services in Prisons, 2003, P-B-02 Environmental Health and Safety essential.
- B. D4-2 Workplace Safety
- C. D4-2.1 Health and Safety Program
- D. IS4-1 Maintenance of Institutional Grounds and Buildings
- E. IS4-1.1 Standard of Cleanliness
- F. IS4-1.3 Vermin and Rodent Control
- G. IS8-6.1 Access to Basic Hygiene Items
- H. IS10-1.5 Safety and Accident
- I. IS10-1.6 Sanitation Standards
- J. IS10-1.7 Sanitation Inspections
- K. IS10-1.16 Food Storage
- L. IS10-1.19 Food Service Sample Tray
- M. ISIS20-1.5 Inspections of Institutions
- N. IS22-1.1 Offender Authorized Personal Property
- O. IS22-2.1 State Property Issued to Offenders
- VI. HISTORY: This policy was originally covered by IS11-15.1, Environmental Health and Safety Procedure located in the Missouri Department of Corrections Institutional Services Policy and Procedures Manual; Original Rule Effective: August 15, 1994.

A. Original Effective Date:

August 15, 1994

B. Revised Effective Date:

October 15, 1999

C. Revised Effective Date:

January 23, 2006

MEDICAL UNIT MONTHLY CHECKLIST

| ł | | | | |
|---------|--|--------------|---------------------------------------|--------|
| , . | Was a Medical Administrative Committee (MAC) meeting held this month? (NCCHC P-03) Did you attend? Comments: | | ☐ YES ☐ YES | □ NO |
| 2 | Medical grievances this month are: (NCCHC P-13) Was a particular theme noticed (i.e. late medication, not seen in a timely manner, etc)? Comments: | | □ UP | □ DOWN |
| 3 | . Was the medication room secured? (NCCHC P-30) | | ☐ YES | □ NO |
| 4 | . Was the medical unit area clean and safe? (NCCHC P-15) Comments: | | □ YES | □ NO |
| 5 | . How many hours a day is a security officer assigned to the medical unit? | | HOURS | |
| 6. | . Are inmate workers utilized only in custodial duties? (NCCHC P-25/ACA 3-4340) | | ☐ YES | |
| 7. | Are inmate health encounters conducted in relative privacy? (NCCHC P-06) Comments: | | □ YES | □ NO |
| 8. | Are daily visits made to disciplinary segregation by medical staff? (NCCHC P-43) | | ☐ YES | □ NO |
| 9. | Are administrative segregation visits made at least three times weekly? (NCCHC P-44) . Comments: | | ☐ YES | □ NO |
| 10. | Are medical records secured in medical unit? Comments: | | □ YES | □NO |
| | Were you informed of medical problems (serious illness, medical parole requests) in a timely manner? Comments: | | □ YES | □ NO |
| 12. | Check one random syringe/instrument count sheet and verify that number matches the syringe/instrument count on hand. Is the count correct? Comments: | | □ YES | □ NO |
| | | Item Checked | | ···· |
| 13. | Do your walks on the yard reflect an increase in medical complaints? Comments: | | □ YES | □ NO |
| 14. | Is there a prevailing subject in these complaints? Comments: | | □ YES | □ NO |
| 15. | Do the minutes of the custody staff monthly meeting reflect medical unit problems? Comments: | | □ YES | □ № |
| 16. | How many outside consults/appointments were cancelled? Why? | | | |
| 7. | Additional comments or concerns: | | · · · · · · · · · · · · · · · · · · · | |
| | | | | |
| | | | | |
| | | | | ! |
| PERI | INTENDENT'S SIGNATURE DAI | TE | | |
| | | | | |

ATE OF MISSOURI DEPARTMENT OF CORRECTIONS SAFETY INSPECTION CHECKLIST

| SAFETY SUGGESTIONS | YES | NO ; | COMMENTS AND DEFICIENCIES NOTED AND ACTION REQUIRED | DATE CORRECTED |
|---|-----|-----------------------|---|-------------------|
| FLOORS ARE FREE FROM BREAKS, LOOSE THES OR LINOLFUM, OR ANY OBSTRUCTION THAT MIGHT CAUSE PEOPLE TO STUMBLE OR FALL? | | | | |
| EXIT SIGNS ARE LIT AND EGRESS ROUTES ARE POSTEU? | | | | |
| WARNING SIGNS AIRE POSTED FOR HADIATION, ETC? | | : | | |
| PASSAGEWAYS & HALLS ARE FREE OF BOXES ON OTHER ANTICLES BEING STORED? | | | | |
| "NO SMOKING" SIGNS ARE POSTED? | | | | |
| EMPLOYEES ARE OBSERVING "NO SMOKING" HESTICTIONS? | | - - | | |
| RUBBISH. EMPTY CARTONS & PAPER ARE DISPOSED OF IMMEDIATELY? | | | | |
| WET AREAS ARE BLOCKED OFF & A SIGN POSTED TO WAIN PERSONS APPROACHING? | | į | | |
| FIRE EXTINGUISHERS ARE AVAILABLE AT STRATEGIC PLACES? | | | | |
| EMPLOYEES ARE AWARE OF THE LOCATION OF THE EXTINGUISHER NEARFST | | | | |
| FIRE EXTINGUISHER INSPECTIONS AIRE CURRENT? | | | | |
| EQUIPMENT, MATERIALS OR SUPPLIES ARE REMOYED WHEN THEY ARE NOT USED, OR SECOME OBSOLETE? | | : | | 1 |
| MOUTINE INSPECTIONS OF EQUIPMENT ARE SCHEDULED FOR PROPER MAINTENANCE? | | | | |
| X-RAY EQUIPMENT HAS BEEN INSPECTED? | | ; | | |
| ELECTRICAL CORDS ARE IN GOOD CONDITION AND WITHOUT WORN PLACES? | - | | | |
| PLUMBING IS IN GOOD REPAIR, PREVENTING WATER SEFPAGE OR CONDENSATION THAT COULD CAUSE A WET OR SLEPPERY FLOOR? | | | | |
| PROVISIONS ARE MADE FOR DISPOSAL OF BIOHAZARDOUS WASTE? | | | | |
| NEEDLES & OTHER SHARP INSTRUMENTS ARE DISCARDED ONLY IN DESIGNATED CONTAINERS? | | 1 | | |
| REFRIGERATORS ARE CLEANED REGULARLY? | | | | |
| MEDICINE, LAB. AND FOOD SPECIMENS ARE STORED SEPARATELY? SPECIMEN REFRIGERATOR MARKED BIOHAZARDOUS? | | | | |
| MO 93:-3814 (*) DISTRIBUTION: | | ORIGINAL - MEDICAL | - MEDICAL CANARY - FIRE & SAFETY OFFICER | • |